

# ART BEARINGS

TEKNİK YAYIN

## SİLİNDİRİK MAKARALI RULMANLAR

**Anadolu Rulman İmalat San. ve Tic. A.Ş.**  
Yaka Mahallesi, 401. Sokak, No:17 Cumayeri / DÜZCE / TÜRKİYE  
Tel: +90 380 735 51 54 Faks: +90 380 735 51 77

[www.anadolurulman.com.tr](http://www.anadolurulman.com.tr)

- 2019 -

| Dimensions |    |    |        |        |     | Basical radial |       | Speed limit       |       | Designation       |
|------------|----|----|--------|--------|-----|----------------|-------|-------------------|-------|-------------------|
| d          | D  | B  | r1, r2 | r3, r4 | s   | dyn.           | stat. | grease            | oil   |                   |
| mm         |    |    | min.   | min.   | ≈   | Cr             | C0r   |                   |       |                   |
|            |    |    |        |        |     | kN             |       | min <sup>-1</sup> |       |                   |
| 15         | 35 | 11 | 0,6    | 0,3    | 1   | 12,7           | 10,4  | 18000             | 22000 | <b>N 202 E</b>    |
| 15         | 35 | 11 | 0,6    | 0,3    | 1   | 12,7           | 10,4  | 18000             | 22000 | <b>NU 202 E</b>   |
| 15         | 35 | 11 | 0,6    | 0,3    | -   | 12,7           | 10,4  | 18000             | 22000 | <b>NJ 202 E</b>   |
| 17         | 40 | 12 | 0,6    | 0,3    | 1,2 | 17,6           | 14,6  | 15000             | 18000 | <b>N 203 E</b>    |
| 17         | 40 | 12 | 0,6    | 0,3    | 1,2 | 17,6           | 14,6  | 15000             | 18000 | <b>NU 203 E</b>   |
| 17         | 40 | 12 | 0,6    | 0,3    | -   | 17,6           | 14,6  | 15000             | 18000 | <b>NJ 203 E</b>   |
| 17         | 40 | 12 | 0,6    | 0,3    | -   | 17,6           | 14,6  | 15000             | 18000 | <b>NUP 203 E</b>  |
| 17         | 40 | 16 | 0,6    | 0,3    | 1,0 | 24             | 22    | 15000             | 18000 | <b>NU 2203 E</b>  |
| 17         | 40 | 16 | 0,6    | 0,3    | -   | 24             | 22    | 15000             | 18000 | <b>NJ 2203 E</b>  |
| 17         | 40 | 16 | 0,6    | 0,3    | -   | 24             | 22    | 15000             | 18000 | <b>NUP 2203 E</b> |
| 17         | 47 | 14 | 1,1    | 0,6    | 1,2 | 25,5           | 21,2  | 13000             | 16000 | <b>NU 303 E</b>   |
| 17         | 47 | 14 | 1,1    | 0,6    | -   | 25,5           | 21,2  | 13000             | 16000 | <b>NJ 303 E</b>   |
| 17         | 47 | 14 | 1,1    | 0,6    | -   | 25,5           | 21,2  | 13000             | 16000 | <b>NUP 303 E</b>  |
| 20         | 47 | 14 | 1      | 0,6    | 1   | 27,5           | 24,5  | 13000             | 16000 | <b>N 204 E</b>    |
| 20         | 47 | 14 | 1      | 0,6    | 1   | 27,5           | 24,5  | 13000             | 16000 | <b>NU 204 E</b>   |
| 20         | 47 | 14 | 1      | 0,6    | -   | 27,5           | 24,5  | 13000             | 16000 | <b>NJ 204 E</b>   |
| 20         | 47 | 14 | 1      | 0,6    | -   | 27,5           | 24,5  | 13000             | 16000 | <b>NUP 204 E</b>  |
| 20         | 47 | 18 | 1      | 0,6    | 1,8 | 32,5           | 31    | 13000             | 16000 | <b>NU 2204 E</b>  |
| 20         | 47 | 18 | 1      | 0,6    | -   | 32,5           | 31    | 13000             | 16000 | <b>NJ 2204 E</b>  |
| 20         | 47 | 18 | 1      | 0,6    | -   | 32,5           | 31    | 13000             | 16000 | <b>NUP 2204 E</b> |
| 20         | 52 | 15 | 1      | 0,6    | 1,1 | 31,5           | 27    | 11000             | 14000 | <b>N 304 E</b>    |
| 20         | 52 | 15 | 1      | 0,6    | 1,1 | 31,5           | 27    | 11000             | 14000 | <b>NU 304 E</b>   |
| 20         | 52 | 15 | 1      | 0,6    | -   | 31,5           | 27    | 11000             | 14000 | <b>NJ 304 E</b>   |
| 20         | 52 | 15 | 1      | 0,6    | -   | 31,5           | 27    | 11000             | 14000 | <b>NUP 304 E</b>  |
| 20         | 52 | 21 | 1      | 0,6    | 2   | 41,5           | 39    | 11000             | 14000 | <b>NU 2304 E</b>  |
| 20         | 52 | 21 | 1      | 0,6    | -   | 41,5           | 39    | 11000             | 14000 | <b>NJ 2304 E</b>  |
| 20         | 52 | 21 | 1      | 0,6    | -   | 41,5           | 39    | 11000             | 14000 | <b>NUP 2304 E</b> |
| 25         | 47 | 12 | 1      | 0,3    | 2,4 | 13,4           | 12    | 14000             | 17000 | <b>NU 1005</b>    |
| 25         | 52 | 15 | 1      | 0,6    | 1,3 | 29,0           | 28    | 12000             | 15000 | <b>N 205 E</b>    |
| 25         | 52 | 15 | 1      | 0,6    | 1,3 | 29,0           | 28    | 12000             | 15000 | <b>NU 205 E</b>   |
| 25         | 52 | 15 | 1      | 0,6    | -   | 29,0           | 28    | 12000             | 15000 | <b>NJ 205 E</b>   |
| 25         | 52 | 15 | 1      | 0,6    | -   | 29,0           | 28    | 12000             | 15000 | <b>NUP 205 E</b>  |
| 25         | 52 | 18 | 1      | 0,6    | 1,7 | 34,5           | 35    | 12000             | 15000 | <b>NU 2205 E</b>  |
| 25         | 52 | 18 | 1      | 0,6    | -   | 34,5           | 35    | 12000             | 15000 | <b>NJ 2205 E</b>  |
| 25         | 52 | 18 | 1      | 0,6    | -   | 34,5           | 35    | 12000             | 15000 | <b>NUP 2205 E</b> |
| 25         | 62 | 17 | 1      | 1,1    | 1,5 | 41,5           | 38    | 9500              | 12000 | <b>N 305 E</b>    |
| 25         | 62 | 17 | 1      | 1,1    | 1,5 | 41,5           | 38    | 9500              | 12000 | <b>NU 305 E</b>   |
| 25         | 62 | 17 | 1      | 1,1    | -   | 41,5           | 38    | 9500              | 12000 | <b>NJ 305 E</b>   |
| 25         | 62 | 17 | 1      | 1,1    | -   | 41,5           | 38    | 9500              | 12000 | <b>NUP 305 E</b>  |
| 25         | 62 | 24 | 1      | 1,1    | 1,9 | 57,0           | 56    | 9500              | 12000 | <b>NU 2305 E</b>  |
| 25         | 62 | 24 | 1      | 1,1    | -   | 57,0           | 56    | 9500              | 12000 | <b>NJ 2305 E</b>  |

|    |     |    |   |     |     |      |    |       |       |                   |
|----|-----|----|---|-----|-----|------|----|-------|-------|-------------------|
| 25 | 62  | 24 | 1 | 1,1 | -   | 57,0 | 56 | 9500  | 12000 | <b>NUP 2305 E</b> |
| 25 | 80  | 21 | 2 | 1,5 | 2,2 | 45,0 | 38 | 8500  | 10000 | <b>NU 405 E</b>   |
| 25 | 80  | 21 | 2 | 1,5 | -   | 50,6 | 44 | 8500  | 10000 | <b>NJ 405 M</b>   |
| 30 | 55  | 13 | 1 | 0,6 | 2,4 | 16,6 | 16 | 12000 | 15000 | <b>NU 1006 E</b>  |
| 30 | 62  | 16 | 1 | 0,6 | 1,4 | 39,7 | 40 | 9500  | 12000 | <b>N 206 E</b>    |
| 30 | 62  | 16 | 1 | 0,6 | 1,4 | 39,7 | 38 | 9500  | 12000 | <b>NU 206 E</b>   |
| 30 | 62  | 16 | 1 | 0,6 | -   | 39,7 | 38 | 9500  | 12000 | <b>NJ 206 E</b>   |
| 30 | 62  | 16 | 1 | 0,6 | -   | 39,7 | 38 | 9500  | 12000 | <b>NUP 206 E</b>  |
| 30 | 62  | 20 | 1 | 0,6 | 1,6 | 49,0 | 50 | 9500  | 12000 | <b>NU 2206 E</b>  |
| 30 | 62  | 20 | 1 | 0,6 | -   | 49,0 | 50 | 9500  | 12000 | <b>NJ 2206 E</b>  |
| 30 | 62  | 20 | 1 | 0,6 | -   | 49,0 | 50 | 9500  | 12000 | <b>NUP 2206 E</b> |
| 30 | 72  | 19 | 1 | 1,1 | 1,9 | 51,0 | 48 | 8500  | 10000 | <b>N 306 E</b>    |
| 30 | 72  | 19 | 1 | 1,1 | 1,9 | 51,0 | 48 | 8500  | 10000 | <b>NU 306 E</b>   |
| 30 | 72  | 19 | 1 | 1,1 | -   | 51,0 | 48 | 8500  | 10000 | <b>NJ 306 E</b>   |
| 30 | 72  | 19 | 1 | 1,1 | -   | 51,0 | 48 | 8500  | 10000 | <b>NUP 306 E</b>  |
| 30 | 72  | 27 | 1 | 1,1 | 2,5 | 73,5 | 75 | 8500  | 10000 | <b>NU 2306 E</b>  |
| 30 | 72  | 27 | 1 | 1,1 | -   | 73,5 | 75 | 8500  | 10000 | <b>NJ 2306 E</b>  |
| 30 | 72  | 27 | 1 | 1,1 | -   | 73,5 | 75 | 8500  | 10000 | <b>NUP 2306 E</b> |
| 30 | 90  | 23 | 2 | 1,5 | 2,3 | 71,0 | 64 | 7000  | 8500  | <b>N 406 E</b>    |
| 30 | 90  | 23 | 2 | 1,5 | 2,3 | 71,0 | 64 | 7000  | 8500  | <b>NU 406 E</b>   |
| 30 | 90  | 23 | 2 | 1,5 | -   | 71,0 | 64 | 7000  | 8500  | <b>NJ 406 E</b>   |
| 30 | 90  | 23 | 2 | 1,5 | -   | 71,0 | 64 | 7000  | 8500  | <b>NUP 406 E</b>  |
| 35 | 62  | 14 | 1 | 0,6 | 2,6 | 23,6 | 25 | 10000 | 13000 | <b>NU 1007 M</b>  |
| 35 | 72  | 17 | 1 | 0,6 | 1,7 | 50,0 | 50 | 8500  | 10000 | <b>N 207 E</b>    |
| 35 | 72  | 17 | 1 | 0,6 | 1,7 | 50,0 | 50 | 8500  | 10000 | <b>NU 207 E</b>   |
| 35 | 72  | 17 | 1 | 0,6 | -   | 50,0 | 50 | 8500  | 10000 | <b>NJ 207 E</b>   |
| 35 | 72  | 17 | 1 | 0,6 | -   | 50,0 | 50 | 8500  | 10000 | <b>NUP 207 E</b>  |
| 35 | 72  | 23 | 1 | 0,6 | 2,9 | 65,0 | 70 | 8500  | 10000 | <b>NU 2207 E</b>  |
| 35 | 72  | 23 | 1 | 0,6 | 2,9 | 65,0 | 70 | 8500  | 10000 | <b>NJ 2207 E</b>  |
| 35 | 72  | 23 | 1 | 0,6 | -   | 65,0 | 70 | 8500  | 10000 | <b>NUP 2207 E</b> |
| 35 | 80  | 21 | 1 | 1,5 | 0,6 | 66,7 | 65 | 7500  | 9000  | <b>N 307 E</b>    |
| 35 | 80  | 21 | 1 | 1,5 | 0,6 | 66,7 | 65 | 7500  | 9000  | <b>NU 307 E</b>   |
| 35 | 80  | 21 | 1 | 1,5 | -   | 66,7 | 65 | 7500  | 9000  | <b>NJ 307 E</b>   |
| 35 | 80  | 21 | 1 | 1,5 | -   | 66,7 | 65 | 7500  | 9000  | <b>NUP 307 E</b>  |
| 35 | 80  | 31 | 1 | 1,5 | 3   | 91,5 | 98 | 7500  | 9000  | <b>NU 2307 E</b>  |
| 35 | 80  | 31 | 1 | 1,5 | -   | 91,5 | 98 | 7500  | 9000  | <b>NJ 2307 E</b>  |
| 35 | 80  | 31 | 1 | 1,5 | -   | 91,5 | 98 | 7500  | 9000  | <b>NUP 2307 E</b> |
| 35 | 100 | 25 | 2 | 1,5 | 2,6 | 75,0 | 70 | 6300  | 7500  | <b>N 407 M</b>    |
| 35 | 100 | 25 | 2 | 1,5 | 2,6 | 75,0 | 70 | 6300  | 7500  | <b>NU 407 M</b>   |
| 35 | 100 | 25 | 2 | 1,5 | -   | 75,0 | 70 | 6300  | 7500  | <b>NJ 407 E</b>   |
| 35 | 100 | 25 | 2 | 1,5 | -   | 75,0 | 70 | 6300  | 7500  | <b>NUP 407 M</b>  |
| 40 | 68  | 15 | 1 | 0,6 | 2,7 | 29,0 | 32 | 9500  | 12000 | <b>NU 1008 E</b>  |
| 40 | 80  | 18 | 1 | 1,1 | 1,9 | 53,0 | 53 | 7500  | 9000  | <b>N 208 E</b>    |
| 40 | 80  | 18 | 1 | 1,1 | 1,9 | 53,0 | 53 | 7500  | 9000  | <b>NU 208 E</b>   |
| 40 | 80  | 18 | 1 | 1,1 | -   | 53,0 | 53 | 7500  | 9000  | <b>NJ 208 E</b>   |
| 40 | 80  | 18 | 1 | 1,1 | -   | 53,0 | 53 | 7500  | 9000  | <b>NUP 208 E</b>  |

|    |     |    |   |     |     |       |     |      |       |                   |
|----|-----|----|---|-----|-----|-------|-----|------|-------|-------------------|
| 40 | 80  | 23 | 1 | 1,1 | 2,3 | 71,0  | 75  | 7500 | 9000  | <b>NU 2208 E</b>  |
| 40 | 80  | 23 | 1 | 1,1 | -   | 71,0  | 75  | 7500 | 9000  | <b>NJ 2208 E</b>  |
| 40 | 80  | 23 | 1 | 1,1 | -   | 71,0  | 75  | 7500 | 9000  | <b>NUP 2208 E</b> |
| 40 | 90  | 23 | 2 | 1,5 | 2,5 | 81,5  | 78  | 6300 | 7500  | <b>N 308 E</b>    |
| 40 | 90  | 23 | 2 | 1,5 | 2,5 | 81,5  | 78  | 6300 | 7500  | <b>NU 308 E</b>   |
| 40 | 90  | 23 | 2 | 1,5 | -   | 81,5  | 78  | 6300 | 7500  | <b>NJ 308 E</b>   |
| 40 | 90  | 23 | 2 | 1,5 | -   | 81,5  | 78  | 6300 | 7500  | <b>NUP 308 E</b>  |
| 40 | 90  | 33 | 2 | 1,5 | 3,5 | 112,0 | 120 | 6300 | 7500  | <b>NU 2308 E</b>  |
| 40 | 90  | 33 | 2 | 1,5 | -   | 112,0 | 120 | 6300 | 7500  | <b>NJ 2308 E</b>  |
| 40 | 90  | 33 | 2 | 1,5 | -   | 112,0 | 120 | 6300 | 7500  | <b>NUP 2308 E</b> |
| 40 | 110 | 27 | 2 | 2,0 | 2,6 | 93,0  | 87  | 5500 | 6800  | <b>N 408 M</b>    |
| 40 | 110 | 27 | 2 | 2,0 | 2,6 | 93,0  | 87  | 5500 | 6800  | <b>NU 408 M</b>   |
| 40 | 110 | 27 | 2 | 2,0 | -   | 93,0  | 87  | 5500 | 6800  | <b>NJ 408 M</b>   |
| 40 | 110 | 27 | 2 | 2,0 | -   | 93,0  | 87  | 5500 | 6800  | <b>NUP 408 M</b>  |
| 45 | 75  | 16 | 1 | 0,6 | 2,5 | 32,5  | 36  | 8500 | 10000 | <b>NU 1009 M</b>  |
| 45 | 85  | 19 | 1 | 1,1 | 1,9 | 61,0  | 63  | 7000 | 8500  | <b>N 209 E</b>    |
| 45 | 85  | 19 | 1 | 1,1 | 1,9 | 61,0  | 63  | 7000 | 8500  | <b>NU 209 E</b>   |
| 45 | 85  | 19 | 1 | 1,1 | -   | 61,0  | 63  | 7000 | 8500  | <b>NJ 209 E</b>   |
| 45 | 85  | 19 | 1 | 1,1 | -   | 61,0  | 63  | 7000 | 8500  | <b>NUP 209 E</b>  |
| 45 | 85  | 23 | 1 | 1,1 | 2,3 | 76,0  | 82  | 7000 | 8500  | <b>NU 2209 E</b>  |
| 45 | 85  | 23 | 1 | 1,1 | -   | 76,0  | 82  | 7000 | 8500  | <b>NJ 2209 E</b>  |
| 45 | 85  | 23 | 1 | 1,1 | -   | 76,0  | 82  | 7000 | 8500  | <b>NUP 2209 E</b> |
| 45 | 100 | 25 | 2 | 1,5 | 2,9 | 98,0  | 100 | 5600 | 6700  | <b>N 309 E</b>    |
| 45 | 100 | 25 | 2 | 1,5 | 2,9 | 98,0  | 100 | 5600 | 6700  | <b>NU 309 E</b>   |
| 45 | 100 | 25 | 2 | 1,5 | -   | 98,0  | 100 | 5600 | 6700  | <b>NJ 309 E</b>   |
| 45 | 100 | 25 | 2 | 1,5 | -   | 98,0  | 100 | 5600 | 6700  | <b>NUP 309 E</b>  |
| 45 | 100 | 36 | 2 | 1,5 | 3,5 | 137,0 | 153 | 5600 | 6700  | <b>NU 2309 E</b>  |
| 45 | 100 | 36 | 2 | 1,5 | -   | 137,0 | 153 | 5600 | 6700  | <b>NL 2309 E</b>  |
| 45 | 100 | 36 | 2 | 1,5 | -   | 137,0 | 153 | 5600 | 6700  | <b>NUP 2309 E</b> |
| 45 | 120 | 29 | 2 | 2,0 | 2,9 | 113,0 | 109 | 5000 | 6000  | <b>N 409 M</b>    |
| 45 | 120 | 29 | 2 | 2,0 | 2,9 | 113,0 | 109 | 5000 | 6000  | <b>NU 409 M</b>   |
| 45 | 120 | 29 | 2 | 2,0 | -   | 113,0 | 109 | 5000 | 6000  | <b>NJ 409 M</b>   |
| 45 | 120 | 29 | 2 | 2,0 | -   | 113,0 | 109 | 5000 | 6000  | <b>NUP 409 M</b>  |
| 50 | 80  | 16 | 1 | 0,6 | 2,1 | 36,0  | 42  | 8000 | 9500  | <b>NU 1010 M</b>  |
| 50 | 90  | 20 | 1 | 1,1 | 2,2 | 64,0  | 68  | 6700 | 8000  | <b>N 210 E</b>    |
| 50 | 90  | 20 | 1 | 1,1 | 2,2 | 64,0  | 68  | 6700 | 8000  | <b>NU 210 E</b>   |
| 50 | 90  | 20 | 1 | 1,1 | -   | 64,0  | 68  | 6700 | 8000  | <b>NJ 210 E</b>   |
| 50 | 90  | 20 | 1 | 1,1 | -   | 64,0  | 68  | 6700 | 8000  | <b>NUP 210 E</b>  |
| 50 | 90  | 23 | 1 | 1,1 | 2,2 | 78,0  | 88  | 6700 | 8000  | <b>NU 2210 E</b>  |
| 50 | 90  | 23 | 1 | 1,1 | -   | 78,0  | 88  | 6700 | 8000  | <b>NJ 2210 E</b>  |
| 50 | 90  | 23 | 1 | 1,1 | -   | 78,0  | 88  | 6700 | 8000  | <b>NUP 2210 E</b> |
| 50 | 110 | 27 | 2 | 2,0 | 3   | 110,0 | 114 | 5300 | 6300  | <b>N 310 E</b>    |
| 50 | 110 | 27 | 2 | 2,0 | 3   | 110,0 | 114 | 5300 | 6300  | <b>NU 310 E</b>   |
| 50 | 110 | 27 | 2 | 2,0 | -   | 110,0 | 114 | 5300 | 6300  | <b>NJ 310 E</b>   |
| 50 | 110 | 27 | 2 | 2,0 | -   | 110,0 | 114 | 5300 | 6300  | <b>NUP 310 E</b>  |
| 50 | 110 | 40 | 2 | 2,0 | 4,2 | 163,0 | 186 | 5300 | 6300  | <b>NU 2310 E</b>  |

|    |     |    |   |     |     |       |     |      |      |                   |
|----|-----|----|---|-----|-----|-------|-----|------|------|-------------------|
| 50 | 110 | 40 | 2 | 2,0 | -   | 163,0 | 186 | 5300 | 6300 | <b>NJ 2310 E</b>  |
| 50 | 110 | 40 | 2 | 2,0 | -   | 163,0 | 186 | 5300 | 6300 | <b>NUP 2310 E</b> |
| 50 | 130 | 31 | 2 | 2,1 | 3   | 139,0 | 136 | 4500 | 5300 | <b>N 410 M</b>    |
| 50 | 130 | 31 | 2 | 2,1 | 3   | 139,0 | 136 | 4500 | 5300 | <b>NU 410 M</b>   |
| 50 | 130 | 31 | 2 | 2,1 | -   | 139,0 | 136 | 4500 | 5300 | <b>NJ 410 M</b>   |
| 50 | 130 | 31 | 2 | 2,1 | -   | 139,0 | 136 | 4500 | 5300 | <b>NUP 410 M</b>  |
| 55 | 90  | 18 | 1 | 1,0 | 2,4 | 41,5  | 50  | 7800 | 9200 | <b>NU 1011 M</b>  |
| 55 | 100 | 21 | 2 | 1,1 | 1,7 | 83,0  | 95  | 6300 | 7500 | <b>N 211 E</b>    |
| 55 | 100 | 21 | 2 | 1,1 | 1,7 | 83,0  | 95  | 6300 | 7500 | <b>NU 211 E</b>   |
| 55 | 100 | 21 | 2 | 1,1 | -   | 83,0  | 95  | 6300 | 7500 | <b>NJ 211 E</b>   |
| 55 | 100 | 21 | 2 | 1,1 | -   | 83,0  | 95  | 6300 | 7500 | <b>NUP 211 E</b>  |
| 55 | 100 | 25 | 2 | 1,1 | 2,2 | 98,0  | 118 | 6300 | 7500 | <b>NU 2211 E</b>  |
| 55 | 100 | 25 | 2 | 1,1 | -   | 98,0  | 118 | 6300 | 7500 | <b>NJ 2211 E</b>  |
| 55 | 100 | 25 | 2 | 1,1 | -   | 98,0  | 118 | 6300 | 7500 | <b>NUP 2211 E</b> |
| 55 | 120 | 29 | 2 | 2,0 | 3   | 134,0 | 140 | 5000 | 6000 | <b>N 311 E</b>    |
| 55 | 120 | 29 | 2 | 2,0 | 3   | 134,0 | 140 | 5000 | 6000 | <b>NU 311 E</b>   |
| 55 | 120 | 29 | 2 | 2,0 | -   | 134,0 | 140 | 5000 | 6000 | <b>NJ 311 E</b>   |
| 55 | 120 | 29 | 2 | 2,0 | -   | 134,0 | 140 | 5000 | 6000 | <b>NUP 311 E</b>  |
| 55 | 120 | 43 | 2 | 2,0 | 4,3 | 200,0 | 228 | 5000 | 6000 | <b>NU 2311 E</b>  |
| 55 | 120 | 43 | 2 | 2,0 | -   | 200,0 | 228 | 5000 | 6000 | <b>NJ 2311 E</b>  |
| 55 | 120 | 43 | 2 | 2,0 | -   | 200,0 | 228 | 5000 | 6000 | <b>NUP 2311 E</b> |
| 55 | 140 | 33 | 2 | 2,1 | 3,3 | 140,0 | 137 | 4300 | 5000 | <b>N 411 M</b>    |
| 55 | 140 | 33 | 2 | 2,1 | 3,3 | 140,0 | 137 | 4300 | 5000 | <b>NU 411 M</b>   |
| 55 | 140 | 33 | 2 | 2,1 | -   | 140,0 | 137 | 4300 | 5000 | <b>NJ 411 M</b>   |
| 55 | 140 | 33 | 2 | 2,1 | -   | 140,0 | 137 | 4300 | 5000 | <b>NUP 411 M</b>  |
| 60 | 95  | 18 | 1 | 1,0 | 3,3 | 44,0  | 55  | 6700 | 8000 | <b>NU 1012 M</b>  |
| 60 | 110 | 22 | 2 | 1,5 | 1,6 | 95,0  | 104 | 5600 | 6700 | <b>N 212 E</b>    |
| 60 | 110 | 22 | 2 | 1,5 | 1,6 | 95,0  | 104 | 5600 | 6700 | <b>NU 212 E</b>   |
| 60 | 110 | 22 | 2 | 1,5 | -   | 95,0  | 104 | 5300 | 6300 | <b>NJ 212 E</b>   |
| 60 | 110 | 22 | 2 | 1,5 | -   | 95,0  | 104 | 5300 | 6300 | <b>NUP 212 E</b>  |
| 60 | 110 | 28 | 2 | 1,5 | 2,4 | 129,0 | 153 | 5300 | 6300 | <b>NU 2212 E</b>  |
| 60 | 110 | 28 | 2 | 1,5 | -   | 129,0 | 153 | 5300 | 6300 | <b>NJ 2212 E</b>  |
| 60 | 110 | 28 | 2 | 1,5 | -   | 129,0 | 153 | 5300 | 6300 | <b>NUP 2212 E</b> |
| 60 | 130 | 31 | 2 | 2,1 | 3   | 150,0 | 156 | 4300 | 5000 | <b>N 312 E</b>    |
| 60 | 130 | 31 | 2 | 2,1 | 3   | 150,0 | 156 | 4300 | 5000 | <b>NU 312 E</b>   |
| 60 | 130 | 31 | 2 | 2,1 | -   | 150,0 | 156 | 4300 | 5000 | <b>NJ 312 E</b>   |
| 60 | 130 | 31 | 2 | 2,1 | -   | 150,0 | 156 | 4300 | 5000 | <b>NUP 312 E</b>  |
| 60 | 130 | 46 | 2 | 2,1 | 4,2 | 224,0 | 260 | 4300 | 5000 | <b>NU 2312 E</b>  |
| 60 | 130 | 46 | 2 | 2,1 | -   | 224,0 | 260 | 4300 | 5000 | <b>NJ 2312 E</b>  |
| 60 | 130 | 46 | 2 | 2,1 | -   | 224,0 | 260 | 4300 | 5000 | <b>NUP 2312 E</b> |
| 60 | 150 | 35 | 2 | 2,1 | 3,4 | 166,0 | 170 | 4000 | 4800 | <b>N 412 E</b>    |
| 60 | 150 | 35 | 2 | 2,1 | 3,4 | 166,0 | 170 | 4000 | 4800 | <b>NU 412 E</b>   |
| 60 | 150 | 35 | 2 | 2,1 | -   | 166,0 | 170 | 4000 | 4800 | <b>NJ 412 E</b>   |
| 60 | 150 | 35 | 2 | 2,1 | -   | 166,0 | 170 | 4000 | 4800 | <b>NUP 412 E</b>  |
| 65 | 100 | 18 | 1 | 1,0 | 3,3 | 45,0  | 59  | 6300 | 7500 | <b>NU 1013 M</b>  |
| 65 | 120 | 23 | 2 | 1,5 | 1,4 | 108,0 | 120 | 5000 | 6000 | <b>N 213 E</b>    |

|    |     |    |   |     |     |       |     |      |      |                   |
|----|-----|----|---|-----|-----|-------|-----|------|------|-------------------|
| 65 | 120 | 23 | 2 | 1,5 | 1,4 | 108,0 | 120 | 5000 | 6000 | <b>NU 213 E</b>   |
| 65 | 120 | 23 | 2 | 1,5 | -   | 108,0 | 120 | 5000 | 6000 | <b>NJ 213 E</b>   |
| 65 | 120 | 23 | 2 | 1,5 | -   | 108,0 | 120 | 5000 | 6000 | <b>NUP 213 E</b>  |
| 65 | 120 | 31 | 2 | 1,5 | 1,9 | 150,0 | 183 | 4800 | 5600 | <b>NU 2213 E</b>  |
| 65 | 120 | 31 | 2 | 1,5 | -   | 150,0 | 183 | 4800 | 5600 | <b>NJ 2213 E</b>  |
| 65 | 120 | 31 | 2 | 1,5 | -   | 150,0 | 183 | 4800 | 5600 | <b>NUP 2213 E</b> |
| 65 | 140 | 33 | 2 | 2,1 | 1,4 | 180,0 | 190 | 4000 | 5000 | <b>N 313 E</b>    |
| 65 | 140 | 33 | 2 | 2,1 | 1,4 | 180,0 | 190 | 4000 | 5000 | <b>NU 313 E</b>   |
| 65 | 140 | 33 | 2 | 2,1 | -   | 180,0 | 190 | 4000 | 5000 | <b>NJ 313 E</b>   |
| 65 | 140 | 33 | 2 | 2,1 | -   | 180,0 | 190 | 4000 | 5000 | <b>NUP 313 E</b>  |
| 65 | 140 | 48 | 2 | 2,1 | 3,9 | 245,0 | 285 | 4000 | 4800 | <b>NU 2313 E</b>  |
| 65 | 140 | 48 | 2 | 2,1 | -   | 245,0 | 285 | 4000 | 4800 | <b>NJ 2313 E</b>  |
| 65 | 140 | 48 | 2 | 2,1 | -   | 245,0 | 285 | 4000 | 4800 | <b>NUP 2313 E</b> |
| 65 | 160 | 37 | 2 | 2,1 | 3,5 | 195,0 | 203 | 3800 | 4500 | <b>N 413 M</b>    |
| 65 | 160 | 37 | 2 | 2,1 | 3,5 | 195,0 | 203 | 3800 | 4500 | <b>NU 413 M</b>   |
| 65 | 160 | 37 | 2 | 2,1 | -   | 195,0 | 203 | 3800 | 4500 | <b>NJ 413 M</b>   |
| 65 | 160 | 37 | 2 | 2,1 | -   | 195,0 | 203 | 3800 | 4500 | <b>NUP 413 M</b>  |
| 70 | 110 | 20 | 1 | 1,0 | 3,3 | 65,0  | 82  | 6000 | 7000 | <b>NU 1014 M</b>  |
| 70 | 125 | 24 | 2 | 1,5 | 1,1 | 120,0 | 137 | 5000 | 6000 | <b>N 214 E</b>    |
| 70 | 125 | 24 | 2 | 1,5 | 1,1 | 120,0 | 137 | 5000 | 6000 | <b>NU 214 E</b>   |
| 70 | 125 | 24 | 2 | 1,5 | -   | 120,0 | 137 | 5000 | 6000 | <b>NJ 214 E</b>   |
| 70 | 125 | 24 | 2 | 1,5 | -   | 120,0 | 137 | 5000 | 6000 | <b>NUP 214 E</b>  |
| 70 | 125 | 31 | 2 | 1,5 | 1,6 | 156,0 | 196 | 4800 | 5600 | <b>NU 2214 E</b>  |
| 70 | 125 | 31 | 2 | 1,5 | -   | 156,0 | 196 | 4800 | 5600 | <b>NJ 2214 E</b>  |
| 70 | 125 | 31 | 2 | 1,5 | -   | 156,0 | 196 | 4800 | 5600 | <b>NUP 2214 E</b> |
| 70 | 150 | 35 | 2 | 2,1 | 1,6 | 205,0 | 222 | 4000 | 4800 | <b>N 314 E</b>    |
| 70 | 150 | 35 | 2 | 2,1 | 1,6 | 205,0 | 222 | 4000 | 4800 | <b>NU 314 E</b>   |
| 70 | 150 | 35 | 2 | 2,1 | -   | 205,0 | 222 | 4000 | 4800 | <b>NJ 314 E</b>   |
| 70 | 150 | 35 | 2 | 2,1 | -   | 205,0 | 222 | 4000 | 4800 | <b>NUP 314 E</b>  |
| 70 | 150 | 51 | 2 | 2,1 | 4,6 | 275,0 | 325 | 3800 | 4500 | <b>NU 2314 E</b>  |
| 70 | 150 | 51 | 2 | 2,1 | -   | 275,0 | 325 | 3800 | 4500 | <b>NJ 2314 E</b>  |
| 70 | 150 | 51 | 2 | 2,1 | -   | 275,0 | 325 | 3800 | 4500 | <b>NUP 2314 E</b> |
| 70 | 180 | 42 | 3 | 3,0 | 4   | 240,0 | 253 | 3400 | 4000 | <b>N 414 M</b>    |
| 70 | 180 | 42 | 3 | 3,0 | 4   | 240,0 | 253 | 3400 | 4000 | <b>NU 414 M</b>   |
| 70 | 180 | 42 | 3 | 3,0 | -   | 240,0 | 253 | 3400 | 4000 | <b>NJ 414 M</b>   |
| 70 | 180 | 42 | 3 | 3,0 | -   | 240,0 | 253 | 3400 | 4000 | <b>NUP 414 M</b>  |
| 75 | 115 | 20 | 1 | 1,0 | 2,5 | 65,5  | 85  | 5600 | 6600 | <b>NU 1015 M</b>  |
| 75 | 130 | 25 | 2 | 1,5 | 1,2 | 132,0 | 156 | 4800 | 5600 | <b>N 215 E</b>    |
| 75 | 130 | 25 | 2 | 1,5 | 1,2 | 132,0 | 156 | 4800 | 5600 | <b>NU 215 E</b>   |
| 75 | 130 | 25 | 2 | 1,5 | -   | 132,0 | 156 | 4800 | 5600 | <b>NJ 215 E</b>   |
| 75 | 130 | 25 | 2 | 1,5 | -   | 132,0 | 156 | 4800 | 5600 | <b>NUP 215 E</b>  |
| 75 | 130 | 31 | 2 | 1,5 | 1,6 | 163,0 | 208 | 4500 | 5300 | <b>NU 2215 E</b>  |
| 75 | 130 | 31 | 2 | 1,5 | -   | 163,0 | 208 | 4500 | 5300 | <b>NJ 2215 E</b>  |
| 75 | 130 | 31 | 2 | 1,5 | -   | 163,0 | 208 | 4500 | 5300 | <b>NUP 2215 E</b> |
| 75 | 160 | 37 | 2 | 2,1 | 1,8 | 240,0 | 265 | 4000 | 4800 | <b>N 315 E</b>    |
| 75 | 160 | 37 | 2 | 2,1 | 1,8 | 240,0 | 265 | 4000 | 4800 | <b>NU 315 E</b>   |

|    |     |    |   |     |     |       |     |      |      |                   |
|----|-----|----|---|-----|-----|-------|-----|------|------|-------------------|
| 75 | 160 | 37 | 2 | 2,1 | -   | 240,0 | 265 | 4000 | 4800 | <b>NJ 315 E</b>   |
| 75 | 160 | 37 | 2 | 2,1 | -   | 240,0 | 265 | 4000 | 4800 | <b>NUP 315 E</b>  |
| 75 | 160 | 55 | 2 | 2,1 | 4,1 | 329,0 | 395 | 4000 | 4800 | <b>NU 2315 E</b>  |
| 75 | 160 | 55 | 2 | 2,1 | -   | 329,0 | 395 | 4000 | 4800 | <b>NJ 2315 E</b>  |
| 75 | 160 | 55 | 2 | 2,1 | -   | 329,0 | 395 | 4000 | 4800 | <b>NUP 2315 E</b> |
| 75 | 190 | 45 | 3 | 3,0 | 4,5 | 277,0 | 294 | 4000 | 4800 | <b>N 415 M</b>    |
| 75 | 190 | 45 | 3 | 3,0 | 4,5 | 277,0 | 294 | 4000 | 4800 | <b>NU 415 M</b>   |
| 75 | 190 | 45 | 3 | 3,0 | -   | 277,0 | 294 | 4000 | 4800 | <b>NJ 415 M</b>   |
| 75 | 190 | 45 | 3 | 3,0 | -   | 277,0 | 294 | 4000 | 4800 | <b>NUP 415 M</b>  |
| 80 | 125 | 22 | 1 | 1,0 | 3,8 | 76,5  | 98  | 5200 | 6200 | <b>NU 1016 M</b>  |
| 80 | 140 | 26 | 2 | 2,0 | 1,2 | 140,0 | 170 | 4300 | 5000 | <b>N 216 E</b>    |
| 80 | 140 | 26 | 2 | 2,0 | 1,2 | 140,0 | 170 | 4300 | 5000 | <b>NU 216 E</b>   |
| 80 | 140 | 26 | 2 | 2,0 | -   | 140,0 | 170 | 4300 | 5000 | <b>NJ 216 E</b>   |
| 80 | 140 | 26 | 2 | 2,0 | -   | 140,0 | 170 | 4300 | 5000 | <b>NUP 216 E</b>  |
| 80 | 140 | 33 | 2 | 2,0 | 2,5 | 186,0 | 245 | 4300 | 5000 | <b>NU 2216 E</b>  |
| 80 | 140 | 33 | 2 | 2,0 |     | 186,0 | 245 | 4300 | 5000 | <b>NJ 2216 E</b>  |
| 80 | 140 | 33 | 2 | 2,0 |     | 186,0 | 245 | 4300 | 5000 | <b>NUP 2216 E</b> |
| 80 | 170 | 39 | 2 | 2,1 | 2,8 | 255,0 | 275 | 3600 | 4300 | <b>N 316 E</b>    |
| 80 | 170 | 39 | 2 | 2,1 | 2,8 | 255,0 | 275 | 3600 | 4300 | <b>NU 316 E</b>   |
| 80 | 170 | 39 | 2 | 2,1 | -   | 255,0 | 275 | 3600 | 4300 | <b>NJ 316 E</b>   |
| 80 | 170 | 39 | 2 | 2,1 | -   | 255,0 | 275 | 3600 | 4300 | <b>NUP 316 E</b>  |
| 80 | 170 | 58 | 2 | 2,1 | 3,6 | 355,0 | 425 | 3600 | 4300 | <b>NU 2316 E</b>  |
| 80 | 170 | 58 | 2 | 2,1 | -   | 355,0 | 425 | 3600 | 4300 | <b>NJ 2316 E</b>  |
| 80 | 170 | 58 | 2 | 2,1 | -   | 355,0 | 425 | 3600 | 4300 | <b>NUP 2316 E</b> |
| 80 | 200 | 48 | 3 | 3,0 | 4,6 | 316,0 | 339 | 3000 | 3600 | <b>N 416 M</b>    |
| 80 | 200 | 48 | 3 | 3,0 | 4,6 | 316,0 | 339 | 3000 | 3600 | <b>NU 416 M</b>   |
| 80 | 200 | 48 | 3 | 3,0 | -   | 316,0 | 339 | 3000 | 3600 | <b>NJ 416 M</b>   |
| 80 | 200 | 48 | 3 | 3,0 | -   | 316,0 | 339 | 3000 | 3600 | <b>NUP 416 M</b>  |
| 85 | 130 | 22 | 1 | 1,0 | 4   | 78,0  | 104 | 4800 | 5600 | <b>NU 1017 M</b>  |
| 85 | 150 | 28 | 2 | 2,0 | 2   | 163,0 | 193 | 4300 | 5000 | <b>N 217 E</b>    |
| 85 | 150 | 28 | 2 | 2,0 | 2   | 163,0 | 193 | 4300 | 5000 | <b>NU 217 E</b>   |
| 85 | 150 | 28 | 2 | 2,0 | -   | 163,0 | 193 | 4300 | 5000 | <b>NJ 217 E</b>   |
| 85 | 150 | 28 | 2 | 2,0 | -   | 163,0 | 193 | 4300 | 5000 | <b>NUP 217 E</b>  |
| 85 | 150 | 36 | 2 | 2,0 | 2,4 | 216,0 | 275 | 3800 | 4500 | <b>NU 2217 E</b>  |
| 85 | 150 | 36 | 2 | 2,0 | -   | 216,0 | 275 | 3800 | 4500 | <b>NJ 2217 E</b>  |
| 85 | 150 | 36 | 2 | 2,0 | -   | 216,0 | 275 | 3800 | 4500 | <b>NUP 2217 E</b> |
| 85 | 180 | 41 | 3 | 3,0 | 3   | 270,0 | 300 | 3400 | 4000 | <b>N 317 E</b>    |
| 85 | 180 | 41 | 3 | 3,0 | 3   | 270,0 | 300 | 3400 | 4000 | <b>NU 317 E</b>   |
| 85 | 180 | 41 | 3 | 3,0 | -   | 270,0 | 300 | 3400 | 4000 | <b>NJ 317 E</b>   |
| 85 | 180 | 41 | 3 | 3,0 | -   | 270,0 | 300 | 3400 | 4000 | <b>NUP 317 E</b>  |
| 85 | 180 | 60 | 3 | 3,0 | 5   | 365,0 | 450 | 3400 | 4000 | <b>NU 2317 E</b>  |
| 85 | 180 | 60 | 3 | 3,0 | -   | 365,0 | 450 | 3400 | 4000 | <b>NJ 2317 E</b>  |
| 85 | 180 | 60 | 3 | 3,0 | -   | 365,0 | 450 | 3400 | 4000 | <b>NUP 2317 E</b> |
| 85 | 210 | 52 | 4 | 4,0 | 5   | 335,0 | 355 | 2800 | 3400 | <b>N 417 E</b>    |
| 85 | 210 | 52 | 4 | 4,0 | 5   | 335,0 | 355 | 2800 | 3400 | <b>NU 417 E</b>   |
| 85 | 210 | 52 | 4 | 4,0 | -   | 335,0 | 355 | 2800 | 3400 | <b>NJ 417 E</b>   |

|     |     |    |   |     |     |       |     |      |      |                   |
|-----|-----|----|---|-----|-----|-------|-----|------|------|-------------------|
| 85  | 210 | 52 | 4 | 4,0 | -   | 335,0 | 355 | 2800 | 3400 | <b>NUP 417 E</b>  |
| 90  | 140 | 24 | 2 | 1,1 | 4   | 93,0  | 125 | 4500 | 5300 | <b>NU 1018 M</b>  |
| 90  | 160 | 30 | 2 | 2,0 | 1,4 | 183,0 | 216 | 3800 | 4500 | <b>N 218 E</b>    |
| 90  | 160 | 30 | 2 | 2,0 | 1,4 | 183,0 | 216 | 3800 | 4500 | <b>NU 218 E</b>   |
| 90  | 160 | 30 | 2 | 2,0 | -   | 183,0 | 216 | 3800 | 4500 | <b>NUP 218 E</b>  |
| 90  | 160 | 30 | 2 | 2,0 | -   | 183,0 | 216 | 3800 | 4500 | <b>NJ 218 E</b>   |
| 90  | 160 | 40 | 2 | 2,0 | 3,5 | 240,0 | 315 | 3200 | 3800 | <b>NU 2218 E</b>  |
| 90  | 160 | 40 | 2 | 2,0 | -   | 240,0 | 315 | 3200 | 3800 | <b>NJ 2218 E</b>  |
| 90  | 160 | 40 | 2 | 2,0 | -   | 240,0 | 315 | 3200 | 3800 | <b>NUP 2218 E</b> |
| 90  | 190 | 43 | 3 | 3,0 | 3   | 315,0 | 345 | 3200 | 3800 | <b>N 318 E</b>    |
| 90  | 190 | 43 | 3 | 3,0 | 3   | 315,0 | 345 | 3200 | 3800 | <b>NU 318 E</b>   |
| 90  | 190 | 43 | 3 | 3,0 | -   | 315,0 | 345 | 3200 | 3800 | <b>NJ 318 E</b>   |
| 90  | 190 | 43 | 3 | 3,0 | -   | 315,0 | 345 | 3200 | 3800 | <b>NUP 318 E</b>  |
| 90  | 190 | 64 | 3 | 3,0 | 6   | 430,0 | 530 | 3000 | 3600 | <b>NU 2318 E</b>  |
| 90  | 190 | 64 | 3 | 3,0 | -   | 430,0 | 530 | 3000 | 3600 | <b>NJ 2318 E</b>  |
| 90  | 190 | 64 | 3 | 3,0 | -   | 430,0 | 530 | 3000 | 3600 | <b>NUP 2318 E</b> |
| 90  | 225 | 54 | 4 | 4,0 | 5   | 393,0 | 427 | 2800 | 3400 | <b>N 418 M</b>    |
| 90  | 225 | 54 | 4 | 4,0 | 5   | 393,0 | 427 | 2800 | 3400 | <b>NU 418 M</b>   |
| 90  | 225 | 54 | 4 | 4,0 | -   | 393,0 | 427 | 2800 | 3400 | <b>NJ 418 M</b>   |
| 90  | 225 | 54 | 4 | 4,0 | -   | 393,0 | 427 | 2800 | 3400 | <b>NUP 418 M</b>  |
| 95  | 145 | 24 | 2 | 1,1 | 4,1 | 96,5  | 129 | 4400 | 5200 | <b>NU 1019 M</b>  |
| 95  | 170 | 32 | 2 | 2,1 | 1,4 | 220,0 | 265 | 3800 | 4500 | <b>N 219 E</b>    |
| 95  | 170 | 32 | 2 | 2,1 | 1,4 | 220,0 | 265 | 3800 | 4500 | <b>NU 219 E</b>   |
| 95  | 170 | 32 | 2 | 2,1 | -   | 220,0 | 265 | 3800 | 4500 | <b>NJ 219 E</b>   |
| 95  | 170 | 32 | 2 | 2,1 | -   | 220,0 | 265 | 3800 | 4500 | <b>NUP 219 E</b>  |
| 95  | 170 | 43 | 2 | 2,1 | 3,5 | 285,0 | 375 | 3200 | 3800 | <b>NU 2219 E</b>  |
| 95  | 170 | 43 | 2 | 2,1 | -   | 285,0 | 375 | 3200 | 3800 | <b>NJ 2219 E</b>  |
| 95  | 170 | 43 | 2 | 2,1 | -   | 285,0 | 375 | 3200 | 3800 | <b>NUP 2219 E</b> |
| 95  | 200 | 45 | 3 | 3,0 | 3,5 | 335,0 | 380 | 3000 | 3600 | <b>N 319 E</b>    |
| 95  | 200 | 45 | 3 | 3,0 | 3,5 | 335,0 | 380 | 3000 | 3600 | <b>NU 319 E</b>   |
| 95  | 200 | 45 | 3 | 3,0 | -   | 335,0 | 380 | 3000 | 3600 | <b>NJ 319 E</b>   |
| 95  | 200 | 45 | 3 | 3,0 | -   | 335,0 | 380 | 3000 | 3600 | <b>NUP 319 E</b>  |
| 95  | 200 | 67 | 3 | 3,0 | 7,2 | 455,0 | 585 | 2800 | 3400 | <b>NU 2319 E</b>  |
| 95  | 200 | 67 | 3 | 3,0 | -   | 455,0 | 585 | 2800 | 3400 | <b>NJ 2319 E</b>  |
| 95  | 200 | 67 | 3 | 3,0 | -   | 455,0 | 585 | 2800 | 3400 | <b>NUP 2319 E</b> |
| 95  | 240 | 55 | 4 | 4,0 | 5,2 | 415,0 | 465 | 2400 | 3000 | <b>N 419 M</b>    |
| 95  | 240 | 55 | 4 | 4,0 | 5,2 | 415,0 | 465 | 2400 | 3000 | <b>NU 419 M</b>   |
| 95  | 240 | 55 | 4 | 4,0 | -   | 415,0 | 465 | 2400 | 3000 | <b>NJ 419 M</b>   |
| 95  | 240 | 55 | 4 | 4,0 | -   | 415,0 | 465 | 2400 | 3000 | <b>NUP 419 M</b>  |
| 100 | 150 | 24 | 2 | 1,1 | 4,3 | 98,0  | 134 | 4300 | 5000 | <b>NU 1020 M</b>  |
| 100 | 180 | 34 | 2 | 2,1 | 1,4 | 250,0 | 305 | 3200 | 3800 | <b>N 220 E</b>    |
| 100 | 180 | 34 | 2 | 2,1 | 1,4 | 250,0 | 305 | 3200 | 3800 | <b>NU 220 E</b>   |
| 100 | 180 | 34 | 2 | 2,1 | -   | 250,0 | 305 | 3200 | 3800 | <b>NJ 220 E</b>   |
| 100 | 180 | 34 | 2 | 2,1 | -   | 250,0 | 305 | 3200 | 3800 | <b>NUP 220 E</b>  |
| 100 | 180 | 46 | 2 | 2,1 | 3   | 335,0 | 440 | 3000 | 3800 | <b>NU 2220 E</b>  |
| 100 | 180 | 46 | 2 | 2,1 | -   | 335,0 | 440 | 3000 | 3600 | <b>NJ 2220 E</b>  |



|     |     |    |   |     |     |       |     |      |      |                   |
|-----|-----|----|---|-----|-----|-------|-----|------|------|-------------------|
| 100 | 180 | 46 | 2 | 2,1 | -   | 335,0 | 440 | 3000 | 3600 | <b>NUP 2220 E</b> |
| 100 | 215 | 47 | 3 | 3,0 | 3,5 | 380,0 | 425 | 3000 | 3600 | <b>N 320 E</b>    |
| 100 | 215 | 47 | 3 | 3,0 | 3,5 | 380,0 | 425 | 3000 | 3600 | <b>NU 320 E</b>   |
| 100 | 215 | 47 | 3 | 3,0 | -   | 380,0 | 425 | 3000 | 3600 | <b>NJ 320 E</b>   |
| 100 | 215 | 47 | 3 | 3,0 | -   | 380,0 | 425 | 3000 | 3600 | <b>NUP 320 E</b>  |
| 100 | 215 | 73 | 3 | 3,0 | 6,1 | 570,0 | 720 | 2600 | 3200 | <b>NU 2320 E</b>  |
| 100 | 215 | 73 | 3 | 3,0 | -   | 570,0 | 720 | 2600 | 3200 | <b>NJ 2320 E</b>  |
| 100 | 215 | 73 | 3 | 3,0 | -   | 570,0 | 720 | 2600 | 3200 | <b>NUP 2320 E</b> |
| 100 | 250 | 58 | 4 | 4,0 | 5,7 | 440,0 | 490 | 2400 | 3000 | <b>N 420 M</b>    |
| 100 | 250 | 58 | 4 | 4,0 | 5,7 | 440,0 | 490 | 2400 | 3000 | <b>NU 420 M</b>   |
| 100 | 250 | 58 | 4 | 4,0 | -   | 440,0 | 490 | 2400 | 3000 | <b>NJ 420 M</b>   |
| 100 | 250 | 58 | 4 | 4,0 | -   | 440,0 | 490 | 2400 | 3000 | <b>NUP 420 M</b>  |
| 105 | 160 | 26 | 2 | 1,1 | 4,5 | 112,0 | 153 | 3800 | 4500 | <b>NU 1021 M</b>  |
| 105 | 190 | 36 | 2 | 2,1 | 1,4 | 260,0 | 320 | 3000 | 3600 | <b>N 221 E</b>    |
| 105 | 190 | 36 | 2 | 2,1 | 1,4 | 260,0 | 320 | 3000 | 3600 | <b>NU 221 E</b>   |
| 105 | 190 | 36 | 2 | 2,1 | -   | 260,0 | 320 | 3000 | 3600 | <b>NJ 221 E</b>   |
| 105 | 190 | 36 | 2 | 2,1 | -   | 260,0 | 320 | 3000 | 3600 | <b>NUP 221 E</b>  |
| 105 | 225 | 49 | 3 | 3,0 | 3,4 | 335,0 | 380 | 2600 | 3200 | <b>N 321 E</b>    |
| 105 | 225 | 49 | 3 | 3,0 | 3,4 | 335,0 | 380 | 2600 | 3200 | <b>NU 321 E</b>   |
| 105 | 225 | 49 | 3 | 3,0 | -   | 335,0 | 380 | 2600 | 3200 | <b>NJ 321 E</b>   |
| 105 | 225 | 49 | 3 | 3,0 | -   | 335,0 | 380 | 2600 | 3200 | <b>NUP 321 E</b>  |
| 105 | 260 | 60 | 4 | 4,0 | 5,7 | 490,0 | 540 | 2200 | 2800 | <b>NU 421 M</b>   |
| 105 | 260 | 60 | 4 | 4,0 | -   | 490,0 | 540 | 2200 | 2800 | <b>NJ 421 M</b>   |
| 105 | 260 | 60 | 4 | 4,0 | -   | 490,0 | 540 | 2200 | 2800 | <b>NUP 421 M</b>  |
| 110 | 170 | 28 | 2 | 1,1 | 4,5 | 140,0 | 190 | 3600 | 4500 | <b>NU 1022 M</b>  |
| 110 | 200 | 38 | 2 | 2,1 | 1,4 | 290,0 | 365 | 3000 | 3600 | <b>N 222 E</b>    |
| 110 | 200 | 38 | 2 | 2,1 | 1,4 | 290,0 | 365 | 3000 | 3600 | <b>NU 222 E</b>   |
| 110 | 200 | 38 | 2 | 2,1 | -   | 290,0 | 365 | 3000 | 3600 | <b>NJ 222 E</b>   |
| 110 | 200 | 38 | 2 | 2,1 | -   | 290,0 | 365 | 3000 | 3600 | <b>NUP 222 E</b>  |
| 110 | 200 | 53 | 2 | 2,1 | 4   | 380,0 | 520 | 2800 | 3400 | <b>NU 2222 E</b>  |
| 110 | 200 | 53 | 2 | 2,1 | -   | 380,0 | 520 | 2800 | 3400 | <b>NJ 2222 E</b>  |
| 110 | 200 | 53 | 2 | 2,1 | -   | 380,0 | 520 | 2800 | 3400 | <b>NUP 2222 E</b> |
| 110 | 240 | 50 | 3 | 3,0 | 4   | 443,0 | 513 | 2400 | 3000 | <b>N 322 E</b>    |
| 110 | 240 | 50 | 3 | 3,0 | 4   | 443,0 | 513 | 2400 | 3000 | <b>NU 322 E</b>   |
| 110 | 240 | 50 | 3 | 3,0 | -   | 443,0 | 513 | 2400 | 3000 | <b>NJ 322 E</b>   |
| 110 | 240 | 50 | 3 | 3,0 | -   | 443,0 | 513 | 2400 | 3000 | <b>NUP 322 E</b>  |
| 110 | 240 | 80 | 3 | 3,0 | 7,2 | 630,0 | 800 | 2200 | 2800 | <b>NU 2322 E</b>  |
| 110 | 240 | 80 | 3 | 3,0 | -   | 630,0 | 800 | 2200 | 2800 | <b>NJ 2322 E</b>  |
| 110 | 240 | 80 | 3 | 3,0 | -   | 630,0 | 800 | 2200 | 2800 | <b>NUP 2322 E</b> |
| 110 | 280 | 65 | 4 | 4,0 | 6,2 | 583,0 | 672 | 2200 | 2800 | <b>NU 422 M</b>   |
| 110 | 280 | 65 | 4 | 4,0 | -   | 583,0 | 672 | 2200 | 2800 | <b>NJ 422 M</b>   |
| 110 | 280 | 65 | 4 | 4,0 | -   | 583,0 | 672 | 2200 | 2800 | <b>NUP 422 M</b>  |
| 120 | 180 | 28 | 2 | 1,0 | 3,2 | 150,0 | 208 | 3400 | 4000 | <b>NU 1024 M</b>  |
| 120 | 215 | 40 | 2 | 2,1 | 3,5 | 335,0 | 415 | 2600 | 3200 | <b>N 224 E</b>    |
| 120 | 215 | 40 | 2 | 2,1 | 3,5 | 335,0 | 415 | 2600 | 3200 | <b>NU 224 E</b>   |
| 120 | 215 | 40 | 2 | 2,1 | -   | 335,0 | 415 | 2600 | 3200 | <b>NJ 224 E</b>   |

|     |     |     |   |     |     |        |      |      |      |                    |
|-----|-----|-----|---|-----|-----|--------|------|------|------|--------------------|
| 120 | 215 | 40  | 2 | 2,1 | -   | 335,0  | 415  | 2600 | 3200 | <b>NUP 224 E</b>   |
| 120 | 215 | 58  | 2 | 2,1 | 5   | 450,0  | 610  | 2600 | 3200 | <b>NU 2224 E</b>   |
| 120 | 215 | 58  | 2 | 2,1 | -   | 450,0  | 610  | 2600 | 3200 | <b>NJ 2224 E</b>   |
| 120 | 215 | 58  | 2 | 2,1 | -   | 450,0  | 610  | 2600 | 3200 | <b>NUP 2224 E</b>  |
| 120 | 260 | 55  | 3 | 3,0 | 4,5 | 520,0  | 600  | 2200 | 2800 | <b>N 324 E</b>     |
| 120 | 260 | 55  | 3 | 3,0 | 4,5 | 520,0  | 600  | 2200 | 2800 | <b>NU 324 E</b>    |
| 120 | 260 | 55  | 3 | 3,0 | -   | 520,0  | 600  | 2200 | 2800 | <b>NJ 324 E</b>    |
| 120 | 260 | 55  | 3 | 3,0 | -   | 520,0  | 600  | 2200 | 2800 | <b>NUP 324 E</b>   |
| 120 | 260 | 86  | 3 | 3,0 | 7,2 | 780,0  | 1020 | 2000 | 2600 | <b>NU 2324 EM</b>  |
| 120 | 260 | 86  | 3 | 3,0 | -   | 780,0  | 1020 | 2000 | 2600 | <b>NJ 2324 EM</b>  |
| 120 | 260 | 86  | 3 | 3,0 | -   | 780,0  | 1020 | 2000 | 2600 | <b>NUP2324EM</b>   |
| 120 | 310 | 72  | 5 | 5,0 | 6,9 | 670,0  | 780  | 1800 | 2200 | <b>NU 424 M</b>    |
| 120 | 310 | 72  | 5 | 5,0 | -   | 670,0  | 780  | 1800 | 2200 | <b>NJ 424 M</b>    |
| 130 | 200 | 33  | 2 | 1,0 | 5,5 | 180,0  | 250  | 3000 | 3600 | <b>NU 1026 M</b>   |
| 130 | 230 | 40  | 3 | 3,0 | 3,6 | 360,0  | 450  | 2400 | 3000 | <b>N 226 E</b>     |
| 130 | 230 | 40  | 3 | 3,0 | 3,6 | 360,0  | 450  | 2400 | 3000 | <b>NU 226 E</b>    |
| 130 | 230 | 40  | 3 | 3,0 | -   | 360,0  | 450  | 2400 | 3000 | <b>NJ 226 E</b>    |
| 130 | 230 | 40  | 3 | 3,0 | -   | 360,0  | 450  | 2400 | 3000 | <b>NUP 226 E</b>   |
| 130 | 230 | 64  | 3 | 3,0 | 6   | 530,0  | 735  | 2400 | 3000 | <b>NU 2226 E</b>   |
| 130 | 230 | 64  | 3 | 3,0 | -   | 530,0  | 735  | 2400 | 3000 | <b>NJ 2226 E</b>   |
| 130 | 230 | 64  | 3 | 3,0 | -   | 530,0  | 735  | 2400 | 3000 | <b>NUP 2226 E</b>  |
| 130 | 280 | 58  | 4 | 4,0 | 4,5 | 570,0  | 670  | 2000 | 2600 | <b>N 326 E</b>     |
| 130 | 280 | 58  | 4 | 4,0 | 4,5 | 570,0  | 670  | 2000 | 2600 | <b>NU 326 E</b>    |
| 130 | 280 | 58  | 4 | 4,0 | -   | 570,0  | 670  | 2000 | 2600 | <b>NJ 326 E</b>    |
| 130 | 280 | 58  | 4 | 4,0 | -   | 570,0  | 670  | 2000 | 2600 | <b>NUP 326 E</b>   |
| 130 | 280 | 93  | 4 | 4,0 | 8,1 | 915,0  | 1220 | 1900 | 2400 | <b>NU 2326 EM</b>  |
| 130 | 280 | 93  | 4 | 4,0 | -   | 915,0  | 1220 | 1900 | 2400 | <b>NJ 2326 EM</b>  |
| 130 | 280 | 93  | 4 | 4,0 | -   | 915,0  | 1220 | 1900 | 2400 | <b>NUP2326EM</b>   |
| 130 | 340 | 78  | 6 | 5   | 6,5 | 790    | 960  | 1800 | 2200 | <b>NU 426 M</b>    |
| 130 | 340 | 78  | 6 | 5,0 | -   | 790,0  | 960  | 1800 | 2200 | <b>NJ 426M</b>     |
| 140 | 210 | 33  | 2 | 1,1 | 3,8 | 183,0  | 265  | 2800 | 3400 | <b>NU 1028 M</b>   |
| 140 | 250 | 42  | 3 | 3,0 | 3,7 | 390,0  | 510  | 2400 | 3000 | <b>N 228 EM</b>    |
| 140 | 250 | 42  | 3 | 3,0 | 3,7 | 390,0  | 510  | 2400 | 3000 | <b>NU 228 EM</b>   |
| 140 | 250 | 42  | 3 | 3,0 | -   | 390,0  | 510  | 2400 | 3000 | <b>NJ 228 EM</b>   |
| 140 | 250 | 42  | 3 | 3,0 | -   | 390,0  | 510  | 2400 | 3000 | <b>NUP 228 EM</b>  |
| 140 | 250 | 68  | 3 | 3,0 | 7   | 570,0  | 830  | 2200 | 2800 | <b>NU 2228 EM</b>  |
| 140 | 250 | 68  | 3 | 3,0 | -   | 570,0  | 830  | 2200 | 2800 | <b>NJ 2228 EM</b>  |
| 140 | 250 | 68  | 3 | 3,0 | -   | 570,0  | 830  | 2200 | 2800 | <b>NUP 2228 EM</b> |
| 140 | 300 | 62  | 4 | 4,0 | 5,2 | 670,0  | 800  | 1900 | 2400 | <b>N 328 E</b>     |
| 140 | 300 | 62  | 4 | 4,0 | 5,2 | 670,0  | 800  | 1900 | 2400 | <b>NU 328 E</b>    |
| 140 | 300 | 62  | 4 | 4,0 | -   | 670,0  | 800  | 1900 | 2400 | <b>NJ 328 E</b>    |
| 140 | 300 | 62  | 4 | 4,0 | -   | 670,0  | 800  | 1900 | 2400 | <b>NUP 328 E</b>   |
| 140 | 300 | 102 | 4 | 4,0 | 9,2 | 1130,0 | 1589 | 1800 | 2200 | <b>NU 2328 EM</b>  |
| 140 | 300 | 102 | 4 | 4,0 | -   | 1130,0 | 1589 | 1800 | 2200 | <b>NJ 2328 EM</b>  |
| 140 | 300 | 102 | 4 | 4,0 | -   | 1130,0 | 1589 | 1800 | 2200 | <b>NUP 2328 EM</b> |
| 140 | 360 | 82  | 6 | 5,0 | 7   | 850,0  | 1020 | 1600 | 1900 | <b>NU 428 M</b>    |

|     |     |     |   |     |     |        |      |      |      |                    |
|-----|-----|-----|---|-----|-----|--------|------|------|------|--------------------|
| 140 | 360 | 82  | 6 | 5,0 | -   | 850,0  | 1020 | 1600 | 1900 | <b>NJ 428 M</b>    |
| 150 | 225 | 35  | 2 | 1,5 | 4,2 | 208,0  | 310  | 2600 | 3200 | <b>NU 1030 M</b>   |
| 150 | 270 | 45  | 3 | 3,0 | 4   | 440,0  | 585  | 2200 | 2800 | <b>N 230 EM</b>    |
| 150 | 270 | 45  | 3 | 3,0 | 4   | 440,0  | 585  | 2200 | 2800 | <b>NU 230 EM</b>   |
| 150 | 270 | 45  | 3 | 3,0 | -   | 440,0  | 585  | 2200 | 2800 | <b>NJ 230 EM</b>   |
| 150 | 270 | 45  | 3 | 3,0 | -   | 440,0  | 585  | 2200 | 2800 | <b>NUP 230 EM</b>  |
| 150 | 270 | 73  | 3 | 3,0 | 7,3 | 655,0  | 980  | 2000 | 2600 | <b>NU 2230 EM</b>  |
| 150 | 270 | 73  | 3 | 3,0 | -   | 655,0  | 980  | 2000 | 2600 | <b>NJ 2230 EM</b>  |
| 150 | 270 | 73  | 3 | 3,0 | -   | 655,0  | 980  | 2000 | 2600 | <b>NUP 2230 EM</b> |
| 150 | 320 | 65  | 4 | 4,0 | 5,5 | 800,0  | 1000 | 1800 | 2200 | <b>N 330 EM</b>    |
| 150 | 320 | 65  | 4 | 4,0 | 5,5 | 800,0  | 1000 | 1800 | 2200 | <b>NU 330 EM</b>   |
| 150 | 320 | 65  | 4 | 4,0 | -   | 800,0  | 1000 | 1800 | 2200 | <b>NJ 330 EM</b>   |
| 150 | 320 | 65  | 4 | 4,0 | -   | 800,0  | 1000 | 1800 | 2200 | <b>NUP 330 EM</b>  |
| 150 | 320 | 108 | 4 | 4,0 | 9,8 | 1160,0 | 1600 | 1700 | 2000 | <b>NU 2330 EM</b>  |
| 150 | 320 | 108 | 4 | 4,0 | -   | 1160,0 | 1600 | 1700 | 2000 | <b>NJ 2330 EM</b>  |
| 150 | 320 | 108 | 4 | 4,0 | -   | 1160,0 | 1600 | 1700 | 2000 | <b>NUP 2330 EM</b> |
| 150 | 380 | 85  | 6 | 5,0 | 7,5 | 898,0  | 1145 | 1500 | 1800 | <b>NU 430 M</b>    |
| 150 | 380 | 85  | 6 | 5,0 | -   | 898,0  | 1145 | 1500 | 1800 | <b>NJ 430 M</b>    |
| 160 | 240 | 38  | 2 | 1,5 | 4,3 | 245,0  | 355  | 2400 | 3000 | <b>NU 1032 M</b>   |
| 160 | 290 | 48  | 3 | 3,0 | 4,1 | 500,0  | 670  | 2000 | 2600 | <b>N 232 EM</b>    |
| 160 | 290 | 48  | 3 | 3,0 | 4,1 | 500,0  | 670  | 2000 | 2600 | <b>NU 232 EM</b>   |
| 160 | 290 | 48  | 3 | 3,0 | -   | 500,0  | 670  | 2000 | 2600 | <b>NJ 232 EM</b>   |
| 160 | 290 | 48  | 3 | 3,0 | -   | 500,0  | 670  | 2000 | 2600 | <b>NUP 232 EM</b>  |
| 160 | 290 | 80  | 3 | 3,0 | 7,3 | 800,0  | 1180 | 1900 | 2400 | <b>NU 2232 EM</b>  |
| 160 | 290 | 80  | 3 | 3,0 | -   | 800,0  | 1180 | 1900 | 2400 | <b>NJ 2232 EM</b>  |
| 160 | 290 | 80  | 3 | 3,0 | -   | 800,0  | 1180 | 1900 | 2400 | <b>NUP 2232 EM</b> |
| 160 | 340 | 68  | 4 | 4,0 | 5,5 | 865,0  | 1060 | 1600 | 1900 | <b>N 332 EM</b>    |
| 160 | 340 | 68  | 4 | 4,0 | 5,5 | 865,0  | 1060 | 1600 | 1900 | <b>NU 332 EM</b>   |
| 160 | 340 | 68  | 4 | 4,0 | -   | 918,0  | 1148 | 1600 | 1900 | <b>NJ 332 EM</b>   |
| 160 | 340 | 68  | 4 | 4,0 | -   | 865,0  | 1060 | 1600 | 1900 | <b>NUP 332 EM</b>  |
| 160 | 340 | 114 | 4 | 4,0 | 10  | 1320,0 | 1830 | 1600 | 1900 | <b>NU 2332 EM</b>  |
| 160 | 340 | 114 | 4 | 4,0 | -   | 1320,0 | 1830 | 1600 | 1900 | <b>NJ 2332 EM</b>  |
| 160 | 340 | 114 | 4 | 4,0 | -   | 1320,0 | 1830 | 1600 | 1900 | <b>NUP 2332 EM</b> |
| 170 | 260 | 42  | 2 | 2,1 | 6,9 | 300,0  | 430  | 2200 | 2800 | <b>NU 1034 M</b>   |
| 170 | 310 | 52  | 4 | 4,0 | 4,3 | 585,0  | 618  | 828  | 2200 | <b>N 234 EM</b>    |
| 170 | 310 | 52  | 4 | 4,0 | 4,3 | 585,0  | 618  | 828  | 2200 | <b>NU 234 EM</b>   |
| 170 | 310 | 52  | 4 | 4,0 | -   | 585,0  | 618  | 828  | 2200 | <b>NJ 234 EM</b>   |
| 170 | 310 | 52  | 4 | 4,0 | -   | 585,0  | 618  | 828  | 2200 | <b>NUP 234 EM</b>  |
| 170 | 310 | 86  | 4 | 4,0 | 7,2 | 950,0  | 1400 | 1700 | 2000 | <b>NU 2234 EM</b>  |
| 170 | 310 | 86  | 4 | 4,0 | -   | 950,0  | 1400 | 1700 | 2000 | <b>NJ 2234 EM</b>  |
| 170 | 310 | 86  | 4 | 4,0 | -   | 950,0  | 1400 | 1700 | 2000 | <b>NUP 2234 EM</b> |
| 170 | 360 | 72  | 4 | 4,0 | 7   | 800,0  | 1020 | 1600 | 1900 | <b>N 334 EM</b>    |
| 170 | 360 | 72  | 4 | 4,0 | 7   | 928,0  | 1150 | 1600 | 1900 | <b>NU 334 EM</b>   |
| 170 | 360 | 72  | 4 | 4,0 | -   | 928,0  | 1150 | 1600 | 1900 | <b>NJ 334 EM</b>   |
| 170 | 360 | 72  | 4 | 4,0 | -   | 928,0  | 1150 | 1600 | 1900 | <b>NUP 334 EM</b>  |
| 170 | 360 | 120 | 4 | 4,0 | 13  | 1220,0 | 1760 | 1500 | 1800 | <b>NU 2334 M</b>   |

|     |     |     |   |     |      |        |      |      |      |                     |
|-----|-----|-----|---|-----|------|--------|------|------|------|---------------------|
| 170 | 360 | 120 | 4 | 4,0 | -    | 1220,0 | 1760 | 1500 | 1800 | <b>NJ 2334 M</b>    |
| 170 | 360 | 120 | 4 | 4,0 | -    | 1220,0 | 1760 | 1500 | 1800 | <b>NUP 2334 M</b>   |
| 180 | 280 | 46  | 2 | 2,1 | 7    | 360,0  | 520  | 2200 | 2800 | <b>NU 1036 M</b>    |
| 180 | 320 | 52  | 4 | 4,0 | 4,5  | 610,0  | 830  | 1800 | 2200 | <b>N 236 EM</b>     |
| 180 | 320 | 52  | 4 | 4,0 | 4,5  | 610,0  | 830  | 1800 | 2200 | <b>NU 236 EM</b>    |
| 180 | 320 | 52  | 4 | 4,0 | -    | 610,0  | 830  | 1800 | 2200 | <b>NJ 236 E.M</b>   |
| 180 | 320 | 52  | 4 | 4,0 | -    | 610,0  | 830  | 1800 | 2200 | <b>NUP 236 E.M</b>  |
| 180 | 320 | 86  | 4 | 4,0 | 7,2  | 1000,0 | 1500 | 1700 | 2000 | <b>NU 2236 E.M</b>  |
| 180 | 320 | 86  | 4 | 4,0 | -    | 1000,0 | 1500 | 1700 | 2000 | <b>NJ 2236 E.M</b>  |
| 180 | 320 | 86  | 4 | 4,0 | -    | 1000,0 | 1500 | 1700 | 2000 | <b>NUP 2236 E.M</b> |
| 180 | 380 | 75  | 4 | 4,0 | 6,9  | 900,0  | 1160 | 1500 | 1800 | <b>N 336 M</b>      |
| 180 | 380 | 75  | 4 | 4,0 | 6,9  | 900,0  | 1160 | 1500 | 1800 | <b>NU 336 M</b>     |
| 180 | 380 | 75  | 4 | 4,0 | -    | 900,0  | 1160 | 1500 | 1800 | <b>NJ 336 M</b>     |
| 180 | 380 | 75  | 4 | 4,0 | -    | 900,0  | 1160 | 1500 | 1800 | <b>NUP 336 M</b>    |
| 180 | 380 | 126 | 4 | 4,0 | 13   | 1370,0 | 2000 | 1400 | 1700 | <b>NU 2336 M</b>    |
| 180 | 380 | 126 | 4 | 4,0 | -    | 1370,0 | 2000 | 1400 | 1700 | <b>NJ 2336 M</b>    |
| 180 | 380 | 126 | 4 | 4,0 | -    | 1370,0 | 2000 | 1400 | 1700 | <b>NUP 2336 M</b>   |
| 190 | 290 | 46  | 2 | 2,1 | 5    | 365,0  | 550  | 2000 | 2600 | <b>NU 1038 M</b>    |
| 190 | 340 | 55  | 4 | 4,0 | 4,7  | 680,0  | 930  | 1700 | 2000 | <b>N 238 E.M</b>    |
| 190 | 340 | 55  | 4 | 4,0 | 4,7  | 680,0  | 930  | 1700 | 2000 | <b>NU 238 E.M</b>   |
| 190 | 340 | 55  | 4 | 4,0 | -    | 680,0  | 930  | 1700 | 2000 | <b>NJ 238 E.M</b>   |
| 190 | 340 | 55  | 4 | 4,0 | -    | 680,0  | 930  | 1700 | 2000 | <b>NUP 238 E.M</b>  |
| 190 | 340 | 92  | 4 | 4,0 | 8    | 1100,0 | 1660 | 1600 | 1900 | <b>NU 2238 E.M</b>  |
| 190 | 340 | 92  | 4 | 4,0 | -    | 1100,0 | 1660 | 1600 | 1900 | <b>NJ 2238 E.M</b>  |
| 190 | 400 | 78  | 5 | 5,0 | 7,1  | 965,0  | 1250 | 1400 | 1700 | <b>NU 338 M</b>     |
| 190 | 400 | 78  | 5 | 5,0 | -    | 965,0  | 1250 | 1400 | 1700 | <b>NJ 338 M</b>     |
| 190 | 400 | 132 | 5 | 5,0 | 13,5 | 1500,0 | 2200 | 1400 | 1700 | <b>NU 2338 E</b>    |
| 190 | 400 | 132 | 5 | 5,0 | -    | 1500,0 | 2200 | 1400 | 1700 | <b>NJ 2338 E</b>    |
| 190 | 400 | 132 | 5 | 5,0 | -    | 1500,0 | 2200 | 1400 | 1700 | <b>NUP 2338 M</b>   |
| 200 | 310 | 51  | 2 | 2,1 | 8,3  | 400,0  | 600  | 2000 | 2600 | <b>NU 1040 M</b>    |
| 200 | 360 | 58  | 4 | 4,0 | 5    | 750,0  | 1040 | 1600 | 1900 | <b>N 240 EM</b>     |
| 200 | 360 | 58  | 4 | 4,0 | 5    | 750,0  | 1040 | 1600 | 1900 | <b>NU 240 EM</b>    |
| 200 | 360 | 58  | 4 | 4,0 | -    | 750,0  | 1040 | 1600 | 1900 | <b>NJ 240 EM</b>    |
| 200 | 360 | 58  | 4 | 4,0 | -    | 750,0  | 1040 | 1600 | 1900 | <b>NUP 240 EM</b>   |
| 200 | 360 | 98  | 4 | 4,0 | 8,1  | 1220,0 | 1860 | 1500 | 1800 | <b>NU 2240 EM</b>   |
| 200 | 360 | 98  | 4 | 4,0 | -    | 1220,0 | 1860 | 1500 | 1800 | <b>NJ 2240 EM</b>   |
| 200 | 420 | 80  | 5 | 5,0 | 7,5  | 965,0  | 1250 | 1400 | 1700 | <b>NU 340 M</b>     |
| 200 | 420 | 80  | 5 | 5,0 | -    | 965,0  | 1250 | 1400 | 1700 | <b>NJ 340 M</b>     |
| 200 | 420 | 138 | 5 | 5,0 | 15   | 1740,0 | 2685 | 1300 | 1600 | <b>NU 2340 M</b>    |
| 200 | 420 | 138 | 5 | 5,0 | -    | 1740,0 | 2685 | 1300 | 1600 | <b>NJ 2340 M</b>    |
| 220 | 340 | 56  | 3 | 3,0 | 6,2  | 650,0  | 1047 | 1700 | 2000 | <b>NU 1044 M</b>    |
| 220 | 400 | 65  | 4 | 4,0 | 6    | 778,0  | 1113 | 1500 | 1800 | <b>NU 244 M</b>     |
| 220 | 400 | 65  | 4 | 4,0 | -    | 778,0  | 1113 | 1500 | 1800 | <b>NJ 244 M</b>     |
| 220 | 400 | 65  | 4 | 4,0 | -    | 778,0  | 1113 | 1500 | 1800 | <b>NUP 244 M</b>    |
| 220 | 400 | 108 | 4 | 4,0 | 11,8 | 1370,0 | 2310 | 1400 | 1700 | <b>NU 2244 M</b>    |
| 220 | 400 | 108 | 4 | 4,0 | -    | 1160,0 | 1870 | 1400 | 1700 | <b>NJ 2244 M</b>    |

|            |      |     |   |     |      |        |      |      |      |                    |
|------------|------|-----|---|-----|------|--------|------|------|------|--------------------|
| <b>220</b> | 460  | 88  | 5 | 5,0 | 8    | 1230,0 | 1650 | 1300 | 1600 | <b>NU 344 M</b>    |
| <b>220</b> | 460  | 145 | 5 | 5,0 | 10   | 1760,0 | 2600 | 1200 | 1500 | <b>NU 2344 E</b>   |
| <b>240</b> | 360  | 56  | 3 | 3,0 | 8,5  | 540,0  | 850  | 1600 | 1900 | <b>NU 1048 M</b>   |
| <b>240</b> | 440  | 72  | 4 | 4,0 | 7    | 930,0  | 1340 | 1400 | 1700 | <b>NU 248 M</b>    |
| <b>240</b> | 440  | 72  | 4 | 4,0 | -    | 930,0  | 1340 | 1400 | 1700 | <b>NJ 248 M</b>    |
| <b>240</b> | 440  | 120 | 4 | 4,0 | 12,8 | 1430,0 | 2320 | 1300 | 1600 | <b>NU 2248 M</b>   |
| <b>240</b> | 500  | 95  | 5 | 5,0 | 89   | 1400,0 | 1930 | 1200 | 1500 | <b>NU 348 M</b>    |
| <b>240</b> | 500  | 155 | 5 | 5,0 | 17   | 2080,0 | 3150 | 1100 | 1400 | <b>NU 2348 M</b>   |
| <b>260</b> | 400  | 65  | 4 | 4,0 | 10,5 | 660,0  | 1039 | 1500 | 1800 | <b>NU 1052 M</b>   |
| <b>260</b> | 480  | 80  | 5 | 5,0 | 5    | 1140,0 | 1630 | 1200 | 1500 | <b>NU 252 M</b>    |
| <b>260</b> | 480  | 80  | 5 | 5,0 | -    | 1140,0 | 1630 | 1200 | 1500 | <b>NJ 252 M</b>    |
| <b>260</b> | 480  | 130 | 5 | 5,0 | 12,8 | 1760,0 | 2900 | 1100 | 1400 | <b>NU 2252 M</b>   |
| <b>260</b> | 540  | 102 | 6 | 6,0 | 9,4  | 1600,0 | 2200 | 1100 | 1400 | <b>NU 352 M</b>    |
| <b>260</b> | 540  | 165 | 6 | 6,0 | 18   | 2320,0 | 3550 | 1000 | 1300 | <b>NU 2352 M</b>   |
| <b>280</b> | 420  | 65  | 4 | 4,0 | 10,5 | 680,0  | 1100 | 1400 | 1700 | <b>NU 1056 M</b>   |
| <b>280</b> | 500  | 80  | 5 | 5,0 | 7,5  | 1120,0 | 1660 | 1200 | 1500 | <b>NU 256 M</b>    |
| <b>280</b> | 500  | 80  | 5 | 5,0 | -    | 1120,0 | 1660 | 1200 | 1500 | <b>NJ 256 M</b>    |
| <b>280</b> | 500  | 130 | 5 | 5,0 | 12,8 | 1760,0 | 2900 | 1100 | 1400 | <b>NU 2256 M</b>   |
| <b>280</b> | 580  | 108 | 6 | 6,0 | 22   | 1800,0 | 2500 | 1000 | 1300 | <b>NU 356 M</b>    |
| <b>300</b> | 460  | 74  | 4 | 4,0 | 12   | 900,0  | 1430 | 1300 | 1600 | <b>NU 1060 M</b>   |
| <b>300</b> | 540  | 85  | 5 | 5,0 | 7,2  | 1400,0 | 2040 | 1100 | 1400 | <b>NU 260 M</b>    |
| <b>300</b> | 540  | 85  | 5 | 5,0 | -    | 1400,0 | 2040 | 1100 | 1400 | <b>NJ 260 M</b>    |
| <b>300</b> | 540  | 140 | 5 | 5,0 | 14   | 2080,0 | 3400 | 1000 | 1300 | <b>NU 2260 M</b>   |
| <b>300</b> | 620  | 109 | 8 | 7,5 | 9,5  | 2080,0 | 3000 | 900  | 1100 | <b>NU 360 M</b>    |
| <b>320</b> | 480  | 74  | 4 | 4,0 | 11,5 | 915,0  | 1500 | 1200 | 1500 | <b>NU 1064 M</b>   |
| <b>320</b> | 580  | 92  | 5 | 5,0 | 8,3  | 1600,0 | 2360 | 1000 | 1300 | <b>NU 264 M</b>    |
| <b>320</b> | 580  | 92  | 5 | 5,0 | -    | 1600,0 | 2360 | 1000 | 1300 | <b>NJ 264 M</b>    |
| <b>340</b> | 520  | 82  | 5 | 5,0 | 12,5 | 1120,0 | 1830 | 1200 | 1400 | <b>NU 1068 M</b>   |
| <b>360</b> | 540  | 82  | 5 | 5,0 | 12,5 | 1145,0 | 1900 | 1200 | 1400 | <b>NU 1072 M</b>   |
| <b>380</b> | 560  | 82  | 5 | 5,0 | 12,5 | 1180,0 | 2000 | 1000 | 1300 | <b>NU 1076 M</b>   |
| <b>400</b> | 600  | 90  | 5 | 5,0 | 13,5 | 1370,0 | 2320 | 950  | 1200 | <b>NU 1080 M</b>   |
| <b>420</b> | 620  | 90  | 5 | 5,0 | 15   | 1400,0 | 2450 | 900  | 1100 | <b>NU 1084 M</b>   |
| <b>440</b> | 650  | 94  | 6 | 6,0 | 9,8  | 1560,0 | 2750 | 850  | 1000 | <b>NU 1088 M</b>   |
| <b>460</b> | 680  | 100 | 6 | 6,0 | 10,5 | 1660,0 | 3000 | 850  | 1000 | <b>NU 1092 M</b>   |
| <b>480</b> | 650  | 78  | 5 | 5,0 | 6,8  | 1140,0 | 2240 | 900  | 1100 | <b>NU 1996 M</b>   |
| <b>480</b> | 700  | 100 | 5 | 5,0 | 15,9 | 1140,0 | 2240 | 900  | 1100 | <b>NU 1096 M</b>   |
| <b>500</b> | 670  | 78  | 5 | 5,0 | 6,8  | 1140,0 | 2240 | 850  | 1000 | <b>NU 19/500 M</b> |
| <b>500</b> | 720  | 100 | 6 | 6,0 | 10,5 | 1760,0 | 3200 | 800  | 950  | <b>NU 10/500 M</b> |
| <b>560</b> | 750  | 85  | 5 | 5,0 | 7,5  | 1430,0 | 2900 | 750  | 900  | <b>NU 19/560 M</b> |
| <b>560</b> | 820  | 115 | 6 | 6,0 | 12,3 | 2700,0 | 5100 | 630  | 750  | <b>NU 10/560 M</b> |
| <b>600</b> | 870  | 118 | 6 | 6,0 | 13,9 | 2750,0 | 5050 | 580  | 480  | <b>NU 10/600 M</b> |
| <b>630</b> | 850  | 100 | 6 | 6,0 | 8,5  | 1830,0 | 3750 | 670  | 800  | <b>NU 19/630 M</b> |
| <b>710</b> | 950  | 106 | 6 | 6,0 | 9,3  | 2080,0 | 4400 | 600  | 700  | <b>NU 19/710 M</b> |
| <b>710</b> | 1030 | 140 | 8 | 7,5 | 17   | 4650,0 | 8300 | 400  | 450  | <b>NU 10/710 M</b> |
| <b>800</b> | 1060 | 115 | 6 | 6,0 | 10   | 2450,0 | 5400 | 530  | 630  | <b>NU 19/800 M</b> |