

| Dimensions | | | | | | Basical radial | | Speed limit | | Designation |
|------------|----|----|--------|--------|-----|----------------|-------|-------------|-------|-------------------|
| d | D | B | r1, r2 | r3, r4 | s | dyn. | stat. | grease | oil | |
| mm | | | min. | min. | ≈ | Cr | C0r | | | min ⁻¹ |
| 15 | 35 | 11 | 0,6 | 0,3 | 1 | 12,7 | 10,4 | 18000 | 22000 | N 202 E |
| 15 | 35 | 11 | 0,6 | 0,3 | 1 | 12,7 | 10,4 | 18000 | 22000 | NU 202 E |
| 15 | 35 | 11 | 0,6 | 0,3 | - | 12,7 | 10,4 | 18000 | 22000 | NJ 202 E |
| 17 | 40 | 12 | 0,6 | 0,3 | 1,2 | 17,6 | 14,6 | 15000 | 18000 | N 203 E |
| 17 | 40 | 12 | 0,6 | 0,3 | 1,2 | 17,6 | 14,6 | 15000 | 18000 | NU 203 E |
| 17 | 40 | 12 | 0,6 | 0,3 | - | 17,6 | 14,6 | 15000 | 18000 | NJ 203 E |
| 17 | 40 | 12 | 0,6 | 0,3 | - | 17,6 | 14,6 | 15000 | 18000 | NUP 203 E |
| 17 | 40 | 16 | 0,6 | 0,3 | 1,0 | 24 | 22 | 15000 | 18000 | NU 2203 E |
| 17 | 40 | 16 | 0,6 | 0,3 | - | 24 | 22 | 15000 | 18000 | NJ 2203 E |
| 17 | 40 | 16 | 0,6 | 0,3 | - | 24 | 22 | 15000 | 18000 | NUP 2203 E |
| 17 | 47 | 14 | 1,1 | 0,6 | 1,2 | 25,5 | 21,2 | 13000 | 16000 | NU 303 E |
| 17 | 47 | 14 | 1,1 | 0,6 | - | 25,5 | 21,2 | 13000 | 16000 | NJ 303 E |
| 17 | 47 | 14 | 1,1 | 0,6 | - | 25,5 | 21,2 | 13000 | 16000 | NUP 303 E |
| 20 | 47 | 14 | 1 | 0,6 | 1 | 27,5 | 24,5 | 13000 | 16000 | N 204 E |
| 20 | 47 | 14 | 1 | 0,6 | 1 | 27,5 | 24,5 | 13000 | 16000 | NU 204 E |
| 20 | 47 | 14 | 1 | 0,6 | - | 27,5 | 24,5 | 13000 | 16000 | NJ 204 E |
| 20 | 47 | 14 | 1 | 0,6 | - | 27,5 | 24,5 | 13000 | 16000 | NUP 204 E |
| 20 | 47 | 18 | 1 | 0,6 | 1,8 | 32,5 | 31 | 13000 | 16000 | NU 2204 E |
| 20 | 47 | 18 | 1 | 0,6 | - | 32,5 | 31 | 13000 | 16000 | NJ 2204 E |
| 20 | 47 | 18 | 1 | 0,6 | - | 32,5 | 31 | 13000 | 16000 | NUP 2204 E |
| 20 | 52 | 15 | 1 | 0,6 | 1,1 | 31,5 | 27 | 11000 | 14000 | N 304 E |
| 20 | 52 | 15 | 1 | 0,6 | 1,1 | 31,5 | 27 | 11000 | 14000 | NU 304 E |
| 20 | 52 | 15 | 1 | 0,6 | - | 31,5 | 27 | 11000 | 14000 | NJ 304 E |
| 20 | 52 | 15 | 1 | 0,6 | - | 31,5 | 27 | 11000 | 14000 | NUP 304 E |
| 20 | 52 | 21 | 1 | 0,6 | 2 | 41,5 | 39 | 11000 | 14000 | NU 2304 E |
| 20 | 52 | 21 | 1 | 0,6 | - | 41,5 | 39 | 11000 | 14000 | NJ 2304 E |
| 20 | 52 | 21 | 1 | 0,6 | - | 41,5 | 39 | 11000 | 14000 | NUP 2304 E |
| 25 | 47 | 12 | 1 | 0,3 | 2,4 | 13,4 | 12 | 14000 | 17000 | NU 1005 |
| 25 | 52 | 15 | 1 | 0,6 | 1,3 | 29,0 | 28 | 12000 | 15000 | N 205 E |
| 25 | 52 | 15 | 1 | 0,6 | 1,3 | 29,0 | 28 | 12000 | 15000 | NU 205 E |
| 25 | 52 | 15 | 1 | 0,6 | - | 29,0 | 28 | 12000 | 15000 | NJ 205 E |
| 25 | 52 | 15 | 1 | 0,6 | - | 29,0 | 28 | 12000 | 15000 | NUP 205 E |
| 25 | 52 | 18 | 1 | 0,6 | 1,7 | 34,5 | 35 | 12000 | 15000 | NU 2205 E |
| 25 | 52 | 18 | 1 | 0,6 | - | 34,5 | 35 | 12000 | 15000 | NJ 2205 E |
| 25 | 52 | 18 | 1 | 0,6 | - | 34,5 | 35 | 12000 | 15000 | NUP 2205 E |
| 25 | 62 | 17 | 1 | 1,1 | 1,5 | 41,5 | 38 | 9500 | 12000 | N 305 E |
| 25 | 62 | 17 | 1 | 1,1 | 1,5 | 41,5 | 38 | 9500 | 12000 | NU 305 E |
| 25 | 62 | 17 | 1 | 1,1 | - | 41,5 | 38 | 9500 | 12000 | NJ 305 E |
| 25 | 62 | 17 | 1 | 1,1 | - | 41,5 | 38 | 9500 | 12000 | NUP 305 E |
| 25 | 62 | 24 | 1 | 1,1 | 1,9 | 57,0 | 56 | 9500 | 12000 | NU 2305 E |
| 25 | 62 | 24 | 1 | 1,1 | - | 57,0 | 56 | 9500 | 12000 | NJ 2305 E |

| | | | | | | | | | | |
|----|-----|----|---|-----|-----|------|----|-------|-------|-------------------|
| 25 | 62 | 24 | 1 | 1,1 | - | 57,0 | 56 | 9500 | 12000 | NUP 2305 E |
| 25 | 80 | 21 | 2 | 1,5 | 2,2 | 45,0 | 38 | 8500 | 10000 | NU 405 E |
| 25 | 80 | 21 | 2 | 1,5 | - | 50,6 | 44 | 8500 | 10000 | NJ 405 M |
| 30 | 55 | 13 | 1 | 0,6 | 2,4 | 16,6 | 16 | 12000 | 15000 | NU 1006 E |
| 30 | 62 | 16 | 1 | 0,6 | 1,4 | 39,7 | 40 | 9500 | 12000 | N 206 E |
| 30 | 62 | 16 | 1 | 0,6 | 1,4 | 39,7 | 38 | 9500 | 12000 | NU 206 E |
| 30 | 62 | 16 | 1 | 0,6 | - | 39,7 | 38 | 9500 | 12000 | NJ 206 E |
| 30 | 62 | 16 | 1 | 0,6 | - | 39,7 | 38 | 9500 | 12000 | NUP 206 E |
| 30 | 62 | 20 | 1 | 0,6 | 1,6 | 49,0 | 50 | 9500 | 12000 | NU 2206 E |
| 30 | 62 | 20 | 1 | 0,6 | - | 49,0 | 50 | 9500 | 12000 | NJ 2206 E |
| 30 | 62 | 20 | 1 | 0,6 | - | 49,0 | 50 | 9500 | 12000 | NUP 2206 E |
| 30 | 72 | 19 | 1 | 1,1 | 1,9 | 51,0 | 48 | 8500 | 10000 | N 306 E |
| 30 | 72 | 19 | 1 | 1,1 | 1,9 | 51,0 | 48 | 8500 | 10000 | NU 306 E |
| 30 | 72 | 19 | 1 | 1,1 | - | 51,0 | 48 | 8500 | 10000 | NJ 306 E |
| 30 | 72 | 19 | 1 | 1,1 | - | 51,0 | 48 | 8500 | 10000 | NUP 306 E |
| 30 | 72 | 27 | 1 | 1,1 | 2,5 | 73,5 | 75 | 8500 | 10000 | NU 2306 E |
| 30 | 72 | 27 | 1 | 1,1 | - | 73,5 | 75 | 8500 | 10000 | NJ 2306 E |
| 30 | 72 | 27 | 1 | 1,1 | - | 73,5 | 75 | 8500 | 10000 | NUP 2306 E |
| 30 | 90 | 23 | 2 | 1,5 | 2,3 | 71,0 | 64 | 7000 | 8500 | N 406 E |
| 30 | 90 | 23 | 2 | 1,5 | 2,3 | 71,0 | 64 | 7000 | 8500 | NU 406 E |
| 30 | 90 | 23 | 2 | 1,5 | - | 71,0 | 64 | 7000 | 8500 | NJ 406 E |
| 30 | 90 | 23 | 2 | 1,5 | - | 71,0 | 64 | 7000 | 8500 | NUP 406 E |
| 35 | 62 | 14 | 1 | 0,6 | 2,6 | 23,6 | 25 | 10000 | 13000 | NU 1007 M |
| 35 | 72 | 17 | 1 | 0,6 | 1,7 | 50,0 | 50 | 8500 | 10000 | N 207 E |
| 35 | 72 | 17 | 1 | 0,6 | 1,7 | 50,0 | 50 | 8500 | 10000 | NU 207 E |
| 35 | 72 | 17 | 1 | 0,6 | - | 50,0 | 50 | 8500 | 10000 | NJ 207 E |
| 35 | 72 | 17 | 1 | 0,6 | - | 50,0 | 50 | 8500 | 10000 | NUP 207 E |
| 35 | 72 | 23 | 1 | 0,6 | 2,9 | 65,0 | 70 | 8500 | 10000 | NU 2207 E |
| 35 | 72 | 23 | 1 | 0,6 | 2,9 | 65,0 | 70 | 8500 | 10000 | NJ 2207 E |
| 35 | 72 | 23 | 1 | 0,6 | - | 65,0 | 70 | 8500 | 10000 | NUP 2207 E |
| 35 | 80 | 21 | 1 | 1,5 | 0,6 | 66,7 | 65 | 7500 | 9000 | N 307 E |
| 35 | 80 | 21 | 1 | 1,5 | 0,6 | 66,7 | 65 | 7500 | 9000 | NU 307 E |
| 35 | 80 | 21 | 1 | 1,5 | - | 66,7 | 65 | 7500 | 9000 | NJ 307 E |
| 35 | 80 | 21 | 1 | 1,5 | - | 66,7 | 65 | 7500 | 9000 | NUP 307 E |
| 35 | 80 | 31 | 1 | 1,5 | 3 | 91,5 | 98 | 7500 | 9000 | NU 2307 E |
| 35 | 80 | 31 | 1 | 1,5 | - | 91,5 | 98 | 7500 | 9000 | NJ 2307 E |
| 35 | 80 | 31 | 1 | 1,5 | - | 91,5 | 98 | 7500 | 9000 | NUP 2307 E |
| 35 | 100 | 25 | 2 | 1,5 | 2,6 | 75,0 | 70 | 6300 | 7500 | N 407 M |
| 35 | 100 | 25 | 2 | 1,5 | 2,6 | 75,0 | 70 | 6300 | 7500 | NU 407 M |
| 35 | 100 | 25 | 2 | 1,5 | - | 75,0 | 70 | 6300 | 7500 | NJ 407 E |
| 35 | 100 | 25 | 2 | 1,5 | - | 75,0 | 70 | 6300 | 7500 | NUP 407 M |
| 40 | 68 | 15 | 1 | 0,6 | 2,7 | 29,0 | 32 | 9500 | 12000 | NU 1008 E |
| 40 | 80 | 18 | 1 | 1,1 | 1,9 | 53,0 | 53 | 7500 | 9000 | N 208 E |
| 40 | 80 | 18 | 1 | 1,1 | 1,9 | 53,0 | 53 | 7500 | 9000 | NU 208 E |
| 40 | 80 | 18 | 1 | 1,1 | - | 53,0 | 53 | 7500 | 9000 | NJ 208 E |
| 40 | 80 | 18 | 1 | 1,1 | - | 53,0 | 53 | 7500 | 9000 | NUP 208 E |

| | | | | | | | | | | |
|----|-----|----|---|-----|-----|-------|-----|------|-------|-------------------|
| 40 | 80 | 23 | 1 | 1,1 | 2,3 | 71,0 | 75 | 7500 | 9000 | NU 2208 E |
| 40 | 80 | 23 | 1 | 1,1 | - | 71,0 | 75 | 7500 | 9000 | NJ 2208 E |
| 40 | 80 | 23 | 1 | 1,1 | - | 71,0 | 75 | 7500 | 9000 | NUP 2208 E |
| 40 | 90 | 23 | 2 | 1,5 | 2,5 | 81,5 | 78 | 6300 | 7500 | N 308 E |
| 40 | 90 | 23 | 2 | 1,5 | 2,5 | 81,5 | 78 | 6300 | 7500 | NU 308 E |
| 40 | 90 | 23 | 2 | 1,5 | - | 81,5 | 78 | 6300 | 7500 | NJ 308 E |
| 40 | 90 | 23 | 2 | 1,5 | - | 81,5 | 78 | 6300 | 7500 | NUP 308 E |
| 40 | 90 | 33 | 2 | 1,5 | 3,5 | 112,0 | 120 | 6300 | 7500 | NU 2308 E |
| 40 | 90 | 33 | 2 | 1,5 | - | 112,0 | 120 | 6300 | 7500 | NJ 2308 E |
| 40 | 90 | 33 | 2 | 1,5 | - | 112,0 | 120 | 6300 | 7500 | NUP 2308 E |
| 40 | 110 | 27 | 2 | 2,0 | 2,6 | 93,0 | 87 | 5500 | 6800 | N 408 M |
| 40 | 110 | 27 | 2 | 2,0 | 2,6 | 93,0 | 87 | 5500 | 6800 | NU 408 M |
| 40 | 110 | 27 | 2 | 2,0 | - | 93,0 | 87 | 5500 | 6800 | NJ 408 M |
| 40 | 110 | 27 | 2 | 2,0 | - | 93,0 | 87 | 5500 | 6800 | NUP 408 M |
| 45 | 75 | 16 | 1 | 0,6 | 2,5 | 32,5 | 36 | 8500 | 10000 | NU 1009 M |
| 45 | 85 | 19 | 1 | 1,1 | 1,9 | 61,0 | 63 | 7000 | 8500 | N 209 E |
| 45 | 85 | 19 | 1 | 1,1 | 1,9 | 61,0 | 63 | 7000 | 8500 | NU 209 E |
| 45 | 85 | 19 | 1 | 1,1 | - | 61,0 | 63 | 7000 | 8500 | NJ 209 E |
| 45 | 85 | 19 | 1 | 1,1 | - | 61,0 | 63 | 7000 | 8500 | NUP 209 E |
| 45 | 85 | 23 | 1 | 1,1 | 2,3 | 76,0 | 82 | 7000 | 8500 | NU 2209 E |
| 45 | 85 | 23 | 1 | 1,1 | - | 76,0 | 82 | 7000 | 8500 | NJ 2209 E |
| 45 | 85 | 23 | 1 | 1,1 | - | 76,0 | 82 | 7000 | 8500 | NUP 2209 E |
| 45 | 100 | 25 | 2 | 1,5 | 2,9 | 98,0 | 100 | 5600 | 6700 | N 309 E |
| 45 | 100 | 25 | 2 | 1,5 | 2,9 | 98,0 | 100 | 5600 | 6700 | NU 309 E |
| 45 | 100 | 25 | 2 | 1,5 | - | 98,0 | 100 | 5600 | 6700 | NJ 309 E |
| 45 | 100 | 25 | 2 | 1,5 | - | 98,0 | 100 | 5600 | 6700 | NUP 309 E |
| 45 | 100 | 36 | 2 | 1,5 | 3,5 | 137,0 | 153 | 5600 | 6700 | NU 2309 E |
| 45 | 100 | 36 | 2 | 1,5 | - | 137,0 | 153 | 5600 | 6700 | NL 2309 E |
| 45 | 100 | 36 | 2 | 1,5 | - | 137,0 | 153 | 5600 | 6700 | NUP 2309 E |
| 45 | 120 | 29 | 2 | 2,0 | 2,9 | 113,0 | 109 | 5000 | 6000 | N 409 M |
| 45 | 120 | 29 | 2 | 2,0 | 2,9 | 113,0 | 109 | 5000 | 6000 | NU 409 M |
| 45 | 120 | 29 | 2 | 2,0 | - | 113,0 | 109 | 5000 | 6000 | NJ 409 M |
| 45 | 120 | 29 | 2 | 2,0 | - | 113,0 | 109 | 5000 | 6000 | NUP 409 M |
| 50 | 80 | 16 | 1 | 0,6 | 2,1 | 36,0 | 42 | 8000 | 9500 | NU 1010 M |
| 50 | 90 | 20 | 1 | 1,1 | 2,2 | 64,0 | 68 | 6700 | 8000 | N 210 E |
| 50 | 90 | 20 | 1 | 1,1 | 2,2 | 64,0 | 68 | 6700 | 8000 | NU 210 E |
| 50 | 90 | 20 | 1 | 1,1 | - | 64,0 | 68 | 6700 | 8000 | NJ 210 E |
| 50 | 90 | 20 | 1 | 1,1 | - | 64,0 | 68 | 6700 | 8000 | NUP 210 E |
| 50 | 90 | 23 | 1 | 1,1 | 2,2 | 78,0 | 88 | 6700 | 8000 | NU 2210 E |
| 50 | 90 | 23 | 1 | 1,1 | - | 78,0 | 88 | 6700 | 8000 | NJ 2210 E |
| 50 | 90 | 23 | 1 | 1,1 | - | 78,0 | 88 | 6700 | 8000 | NUP 2210 E |
| 50 | 110 | 27 | 2 | 2,0 | 3 | 110,0 | 114 | 5300 | 6300 | N 310 E |
| 50 | 110 | 27 | 2 | 2,0 | 3 | 110,0 | 114 | 5300 | 6300 | NU 310 E |
| 50 | 110 | 27 | 2 | 2,0 | - | 110,0 | 114 | 5300 | 6300 | NJ 310 E |
| 50 | 110 | 27 | 2 | 2,0 | - | 110,0 | 114 | 5300 | 6300 | NUP 310 E |
| 50 | 110 | 40 | 2 | 2,0 | 4,2 | 163,0 | 186 | 5300 | 6300 | NU 2310 E |

| | | | | | | | | | | |
|----|-----|----|---|-----|-----|-------|-----|------|------|-------------------|
| 50 | 110 | 40 | 2 | 2,0 | - | 163,0 | 186 | 5300 | 6300 | NJ 2310 E |
| 50 | 110 | 40 | 2 | 2,0 | - | 163,0 | 186 | 5300 | 6300 | NUP 2310 E |
| 50 | 130 | 31 | 2 | 2,1 | 3 | 139,0 | 136 | 4500 | 5300 | N 410 M |
| 50 | 130 | 31 | 2 | 2,1 | 3 | 139,0 | 136 | 4500 | 5300 | NU 410 M |
| 50 | 130 | 31 | 2 | 2,1 | - | 139,0 | 136 | 4500 | 5300 | NJ 410 M |
| 50 | 130 | 31 | 2 | 2,1 | - | 139,0 | 136 | 4500 | 5300 | NUP 410 M |
| 55 | 90 | 18 | 1 | 1,0 | 2,4 | 41,5 | 50 | 7800 | 9200 | NU 1011 M |
| 55 | 100 | 21 | 2 | 1,1 | 1,7 | 83,0 | 95 | 6300 | 7500 | N 211 E |
| 55 | 100 | 21 | 2 | 1,1 | 1,7 | 83,0 | 95 | 6300 | 7500 | NU 211 E |
| 55 | 100 | 21 | 2 | 1,1 | - | 83,0 | 95 | 6300 | 7500 | NJ 211 E |
| 55 | 100 | 21 | 2 | 1,1 | - | 83,0 | 95 | 6300 | 7500 | NUP 211 E |
| 55 | 100 | 25 | 2 | 1,1 | 2,2 | 98,0 | 118 | 6300 | 7500 | NU 2211 E |
| 55 | 100 | 25 | 2 | 1,1 | - | 98,0 | 118 | 6300 | 7500 | NJ 2211 E |
| 55 | 100 | 25 | 2 | 1,1 | - | 98,0 | 118 | 6300 | 7500 | NUP 2211 E |
| 55 | 120 | 29 | 2 | 2,0 | 3 | 134,0 | 140 | 5000 | 6000 | N 311 E |
| 55 | 120 | 29 | 2 | 2,0 | 3 | 134,0 | 140 | 5000 | 6000 | NU 311 E |
| 55 | 120 | 29 | 2 | 2,0 | - | 134,0 | 140 | 5000 | 6000 | NJ 311 E |
| 55 | 120 | 29 | 2 | 2,0 | - | 134,0 | 140 | 5000 | 6000 | NUP 311 E |
| 55 | 120 | 43 | 2 | 2,0 | 4,3 | 200,0 | 228 | 5000 | 6000 | NU 2311 E |
| 55 | 120 | 43 | 2 | 2,0 | - | 200,0 | 228 | 5000 | 6000 | NJ 2311 E |
| 55 | 120 | 43 | 2 | 2,0 | - | 200,0 | 228 | 5000 | 6000 | NUP 2311 E |
| 55 | 140 | 33 | 2 | 2,1 | 3,3 | 140,0 | 137 | 4300 | 5000 | N 411 M |
| 55 | 140 | 33 | 2 | 2,1 | 3,3 | 140,0 | 137 | 4300 | 5000 | NU 411 M |
| 55 | 140 | 33 | 2 | 2,1 | - | 140,0 | 137 | 4300 | 5000 | NJ 411 M |
| 55 | 140 | 33 | 2 | 2,1 | - | 140,0 | 137 | 4300 | 5000 | NUP 411 M |
| 60 | 95 | 18 | 1 | 1,0 | 3,3 | 44,0 | 55 | 6700 | 8000 | NU 1012 M |
| 60 | 110 | 22 | 2 | 1,5 | 1,6 | 95,0 | 104 | 5600 | 6700 | N 212 E |
| 60 | 110 | 22 | 2 | 1,5 | 1,6 | 95,0 | 104 | 5600 | 6700 | NU 212 E |
| 60 | 110 | 22 | 2 | 1,5 | - | 95,0 | 104 | 5300 | 6300 | NJ 212 E |
| 60 | 110 | 22 | 2 | 1,5 | - | 95,0 | 104 | 5300 | 6300 | NUP 212 E |
| 60 | 110 | 28 | 2 | 1,5 | 2,4 | 129,0 | 153 | 5300 | 6300 | NU 2212 E |
| 60 | 110 | 28 | 2 | 1,5 | - | 129,0 | 153 | 5300 | 6300 | NJ 2212 E |
| 60 | 110 | 28 | 2 | 1,5 | - | 129,0 | 153 | 5300 | 6300 | NUP 2212 E |
| 60 | 130 | 31 | 2 | 2,1 | 3 | 150,0 | 156 | 4300 | 5000 | N 312 E |
| 60 | 130 | 31 | 2 | 2,1 | 3 | 150,0 | 156 | 4300 | 5000 | NU 312 E |
| 60 | 130 | 31 | 2 | 2,1 | - | 150,0 | 156 | 4300 | 5000 | NJ 312 E |
| 60 | 130 | 31 | 2 | 2,1 | - | 150,0 | 156 | 4300 | 5000 | NUP 312 E |
| 60 | 130 | 46 | 2 | 2,1 | 4,2 | 224,0 | 260 | 4300 | 5000 | NU 2312 E |
| 60 | 130 | 46 | 2 | 2,1 | - | 224,0 | 260 | 4300 | 5000 | NJ 2312 E |
| 60 | 130 | 46 | 2 | 2,1 | - | 224,0 | 260 | 4300 | 5000 | NUP 2312 E |
| 60 | 150 | 35 | 2 | 2,1 | 3,4 | 166,0 | 170 | 4000 | 4800 | N 412 E |
| 60 | 150 | 35 | 2 | 2,1 | 3,4 | 166,0 | 170 | 4000 | 4800 | NU 412 E |
| 60 | 150 | 35 | 2 | 2,1 | - | 166,0 | 170 | 4000 | 4800 | NJ 412 E |
| 60 | 150 | 35 | 2 | 2,1 | - | 166,0 | 170 | 4000 | 4800 | NUP 412 E |
| 65 | 100 | 18 | 1 | 1,0 | 3,3 | 45,0 | 59 | 6300 | 7500 | NU 1013 M |
| 65 | 120 | 23 | 2 | 1,5 | 1,4 | 108,0 | 120 | 5000 | 6000 | N 213 E |

| | | | | | | | | | | |
|----|-----|----|---|-----|-----|-------|-----|------|------|-------------------|
| 65 | 120 | 23 | 2 | 1,5 | 1,4 | 108,0 | 120 | 5000 | 6000 | NU 213 E |
| 65 | 120 | 23 | 2 | 1,5 | - | 108,0 | 120 | 5000 | 6000 | NJ 213 E |
| 65 | 120 | 23 | 2 | 1,5 | - | 108,0 | 120 | 5000 | 6000 | NUP 213 E |
| 65 | 120 | 31 | 2 | 1,5 | 1,9 | 150,0 | 183 | 4800 | 5600 | NU 2213 E |
| 65 | 120 | 31 | 2 | 1,5 | - | 150,0 | 183 | 4800 | 5600 | NJ 2213 E |
| 65 | 120 | 31 | 2 | 1,5 | - | 150,0 | 183 | 4800 | 5600 | NUP 2213 E |
| 65 | 140 | 33 | 2 | 2,1 | 1,4 | 180,0 | 190 | 4000 | 5000 | N 313 E |
| 65 | 140 | 33 | 2 | 2,1 | 1,4 | 180,0 | 190 | 4000 | 5000 | NU 313 E |
| 65 | 140 | 33 | 2 | 2,1 | - | 180,0 | 190 | 4000 | 5000 | NJ 313 E |
| 65 | 140 | 33 | 2 | 2,1 | - | 180,0 | 190 | 4000 | 5000 | NUP 313 E |
| 65 | 140 | 48 | 2 | 2,1 | 3,9 | 245,0 | 285 | 4000 | 4800 | NU 2313 E |
| 65 | 140 | 48 | 2 | 2,1 | - | 245,0 | 285 | 4000 | 4800 | NJ 2313 E |
| 65 | 140 | 48 | 2 | 2,1 | - | 245,0 | 285 | 4000 | 4800 | NUP 2313 E |
| 65 | 160 | 37 | 2 | 2,1 | 3,5 | 195,0 | 203 | 3800 | 4500 | N 413 M |
| 65 | 160 | 37 | 2 | 2,1 | 3,5 | 195,0 | 203 | 3800 | 4500 | NU 413 M |
| 65 | 160 | 37 | 2 | 2,1 | - | 195,0 | 203 | 3800 | 4500 | NJ 413 M |
| 65 | 160 | 37 | 2 | 2,1 | - | 195,0 | 203 | 3800 | 4500 | NUP 413 M |
| 70 | 110 | 20 | 1 | 1,0 | 3,3 | 65,0 | 82 | 6000 | 7000 | NU 1014 M |
| 70 | 125 | 24 | 2 | 1,5 | 1,1 | 120,0 | 137 | 5000 | 6000 | N 214 E |
| 70 | 125 | 24 | 2 | 1,5 | 1,1 | 120,0 | 137 | 5000 | 6000 | NU 214 E |
| 70 | 125 | 24 | 2 | 1,5 | - | 120,0 | 137 | 5000 | 6000 | NJ 214 E |
| 70 | 125 | 24 | 2 | 1,5 | - | 120,0 | 137 | 5000 | 6000 | NUP 214 E |
| 70 | 125 | 31 | 2 | 1,5 | 1,6 | 156,0 | 196 | 4800 | 5600 | NU 2214 E |
| 70 | 125 | 31 | 2 | 1,5 | - | 156,0 | 196 | 4800 | 5600 | NJ 2214 E |
| 70 | 125 | 31 | 2 | 1,5 | - | 156,0 | 196 | 4800 | 5600 | NUP 2214 E |
| 70 | 150 | 35 | 2 | 2,1 | 1,6 | 205,0 | 222 | 4000 | 4800 | N 314 E |
| 70 | 150 | 35 | 2 | 2,1 | 1,6 | 205,0 | 222 | 4000 | 4800 | NU 314 E |
| 70 | 150 | 35 | 2 | 2,1 | - | 205,0 | 222 | 4000 | 4800 | NJ 314 E |
| 70 | 150 | 35 | 2 | 2,1 | - | 205,0 | 222 | 4000 | 4800 | NUP 314 E |
| 70 | 150 | 51 | 2 | 2,1 | 4,6 | 275,0 | 325 | 3800 | 4500 | NU 2314 E |
| 70 | 150 | 51 | 2 | 2,1 | - | 275,0 | 325 | 3800 | 4500 | NJ 2314 E |
| 70 | 150 | 51 | 2 | 2,1 | - | 275,0 | 325 | 3800 | 4500 | NUP 2314 E |
| 70 | 180 | 42 | 3 | 3,0 | 4 | 240,0 | 253 | 3400 | 4000 | N 414 M |
| 70 | 180 | 42 | 3 | 3,0 | 4 | 240,0 | 253 | 3400 | 4000 | NU 414 M |
| 70 | 180 | 42 | 3 | 3,0 | - | 240,0 | 253 | 3400 | 4000 | NJ 414 M |
| 70 | 180 | 42 | 3 | 3,0 | - | 240,0 | 253 | 3400 | 4000 | NUP 414 M |
| 75 | 115 | 20 | 1 | 1,0 | 2,5 | 65,5 | 85 | 5600 | 6600 | NU 1015 M |
| 75 | 130 | 25 | 2 | 1,5 | 1,2 | 132,0 | 156 | 4800 | 5600 | N 215 E |
| 75 | 130 | 25 | 2 | 1,5 | 1,2 | 132,0 | 156 | 4800 | 5600 | NU 215 E |
| 75 | 130 | 25 | 2 | 1,5 | - | 132,0 | 156 | 4800 | 5600 | NJ 215 E |
| 75 | 130 | 25 | 2 | 1,5 | - | 132,0 | 156 | 4800 | 5600 | NUP 215 E |
| 75 | 130 | 31 | 2 | 1,5 | 1,6 | 163,0 | 208 | 4500 | 5300 | NU 2215 E |
| 75 | 130 | 31 | 2 | 1,5 | - | 163,0 | 208 | 4500 | 5300 | NJ 2215 E |
| 75 | 130 | 31 | 2 | 1,5 | - | 163,0 | 208 | 4500 | 5300 | NUP 2215 E |
| 75 | 160 | 37 | 2 | 2,1 | 1,8 | 240,0 | 265 | 4000 | 4800 | N 315 E |
| 75 | 160 | 37 | 2 | 2,1 | 1,8 | 240,0 | 265 | 4000 | 4800 | NU 315 E |

| | | | | | | | | | | |
|----|-----|----|---|-----|-----|-------|-----|------|------|-------------------|
| 75 | 160 | 37 | 2 | 2,1 | - | 240,0 | 265 | 4000 | 4800 | NJ 315 E |
| 75 | 160 | 37 | 2 | 2,1 | - | 240,0 | 265 | 4000 | 4800 | NUP 315 E |
| 75 | 160 | 55 | 2 | 2,1 | 4,1 | 329,0 | 395 | 4000 | 4800 | NU 2315 E |
| 75 | 160 | 55 | 2 | 2,1 | - | 329,0 | 395 | 4000 | 4800 | NJ 2315 E |
| 75 | 160 | 55 | 2 | 2,1 | - | 329,0 | 395 | 4000 | 4800 | NUP 2315 E |
| 75 | 190 | 45 | 3 | 3,0 | 4,5 | 277,0 | 294 | 4000 | 4800 | N 415 M |
| 75 | 190 | 45 | 3 | 3,0 | 4,5 | 277,0 | 294 | 4000 | 4800 | NU 415 M |
| 75 | 190 | 45 | 3 | 3,0 | - | 277,0 | 294 | 4000 | 4800 | NJ 415 M |
| 75 | 190 | 45 | 3 | 3,0 | - | 277,0 | 294 | 4000 | 4800 | NUP 415 M |
| 80 | 125 | 22 | 1 | 1,0 | 3,8 | 76,5 | 98 | 5200 | 6200 | NU 1016 M |
| 80 | 140 | 26 | 2 | 2,0 | 1,2 | 140,0 | 170 | 4300 | 5000 | N 216 E |
| 80 | 140 | 26 | 2 | 2,0 | 1,2 | 140,0 | 170 | 4300 | 5000 | NU 216 E |
| 80 | 140 | 26 | 2 | 2,0 | - | 140,0 | 170 | 4300 | 5000 | NJ 216 E |
| 80 | 140 | 26 | 2 | 2,0 | - | 140,0 | 170 | 4300 | 5000 | NUP 216 E |
| 80 | 140 | 33 | 2 | 2,0 | 2,5 | 186,0 | 245 | 4300 | 5000 | NU 2216 E |
| 80 | 140 | 33 | 2 | 2,0 | | 186,0 | 245 | 4300 | 5000 | NJ 2216 E |
| 80 | 140 | 33 | 2 | 2,0 | | 186,0 | 245 | 4300 | 5000 | NUP 2216 E |
| 80 | 170 | 39 | 2 | 2,1 | 2,8 | 255,0 | 275 | 3600 | 4300 | N 316 E |
| 80 | 170 | 39 | 2 | 2,1 | 2,8 | 255,0 | 275 | 3600 | 4300 | NU 316 E |
| 80 | 170 | 39 | 2 | 2,1 | - | 255,0 | 275 | 3600 | 4300 | NJ 316 E |
| 80 | 170 | 39 | 2 | 2,1 | - | 255,0 | 275 | 3600 | 4300 | NUP 316 E |
| 80 | 170 | 58 | 2 | 2,1 | 3,6 | 355,0 | 425 | 3600 | 4300 | NU 2316 E |
| 80 | 170 | 58 | 2 | 2,1 | - | 355,0 | 425 | 3600 | 4300 | NJ 2316 E |
| 80 | 170 | 58 | 2 | 2,1 | - | 355,0 | 425 | 3600 | 4300 | NUP 2316 E |
| 80 | 200 | 48 | 3 | 3,0 | 4,6 | 316,0 | 339 | 3000 | 3600 | N 416 M |
| 80 | 200 | 48 | 3 | 3,0 | 4,6 | 316,0 | 339 | 3000 | 3600 | NU 416 M |
| 80 | 200 | 48 | 3 | 3,0 | - | 316,0 | 339 | 3000 | 3600 | NJ 416 M |
| 80 | 200 | 48 | 3 | 3,0 | - | 316,0 | 339 | 3000 | 3600 | NUP 416 M |
| 85 | 130 | 22 | 1 | 1,0 | 4 | 78,0 | 104 | 4800 | 5600 | NU 1017 M |
| 85 | 150 | 28 | 2 | 2,0 | 2 | 163,0 | 193 | 4300 | 5000 | N 217 E |
| 85 | 150 | 28 | 2 | 2,0 | 2 | 163,0 | 193 | 4300 | 5000 | NU 217 E |
| 85 | 150 | 28 | 2 | 2,0 | - | 163,0 | 193 | 4300 | 5000 | NJ 217 E |
| 85 | 150 | 28 | 2 | 2,0 | - | 163,0 | 193 | 4300 | 5000 | NUP 217 E |
| 85 | 150 | 36 | 2 | 2,0 | 2,4 | 216,0 | 275 | 3800 | 4500 | NU 2217 E |
| 85 | 150 | 36 | 2 | 2,0 | - | 216,0 | 275 | 3800 | 4500 | NJ 2217 E |
| 85 | 150 | 36 | 2 | 2,0 | - | 216,0 | 275 | 3800 | 4500 | NUP 2217 E |
| 85 | 180 | 41 | 3 | 3,0 | 3 | 270,0 | 300 | 3400 | 4000 | N 317 E |
| 85 | 180 | 41 | 3 | 3,0 | 3 | 270,0 | 300 | 3400 | 4000 | NU 317 E |
| 85 | 180 | 41 | 3 | 3,0 | - | 270,0 | 300 | 3400 | 4000 | NJ 317 E |
| 85 | 180 | 41 | 3 | 3,0 | - | 270,0 | 300 | 3400 | 4000 | NUP 317 E |
| 85 | 180 | 60 | 3 | 3,0 | 5 | 365,0 | 450 | 3400 | 4000 | NU 2317 E |
| 85 | 180 | 60 | 3 | 3,0 | - | 365,0 | 450 | 3400 | 4000 | NJ 2317 E |
| 85 | 180 | 60 | 3 | 3,0 | - | 365,0 | 450 | 3400 | 4000 | NUP 2317 E |
| 85 | 210 | 52 | 4 | 4,0 | 5 | 335,0 | 355 | 2800 | 3400 | N 417 E |
| 85 | 210 | 52 | 4 | 4,0 | 5 | 335,0 | 355 | 2800 | 3400 | NU 417 E |
| 85 | 210 | 52 | 4 | 4,0 | - | 335,0 | 355 | 2800 | 3400 | NJ 417 E |

| | | | | | | | | | | |
|-----|-----|----|---|-----|-----|-------|-----|------|------|-------------------|
| 85 | 210 | 52 | 4 | 4,0 | - | 335,0 | 355 | 2800 | 3400 | NUP 417 E |
| 90 | 140 | 24 | 2 | 1,1 | 4 | 93,0 | 125 | 4500 | 5300 | NU 1018 M |
| 90 | 160 | 30 | 2 | 2,0 | 1,4 | 183,0 | 216 | 3800 | 4500 | N 218 E |
| 90 | 160 | 30 | 2 | 2,0 | 1,4 | 183,0 | 216 | 3800 | 4500 | NU 218 E |
| 90 | 160 | 30 | 2 | 2,0 | - | 183,0 | 216 | 3800 | 4500 | NUP 218 E |
| 90 | 160 | 30 | 2 | 2,0 | - | 183,0 | 216 | 3800 | 4500 | NJ 218 E |
| 90 | 160 | 40 | 2 | 2,0 | 3,5 | 240,0 | 315 | 3200 | 3800 | NU 2218 E |
| 90 | 160 | 40 | 2 | 2,0 | - | 240,0 | 315 | 3200 | 3800 | NJ 2218 E |
| 90 | 160 | 40 | 2 | 2,0 | - | 240,0 | 315 | 3200 | 3800 | NUP 2218 E |
| 90 | 190 | 43 | 3 | 3,0 | 3 | 315,0 | 345 | 3200 | 3800 | N 318 E |
| 90 | 190 | 43 | 3 | 3,0 | 3 | 315,0 | 345 | 3200 | 3800 | NU 318 E |
| 90 | 190 | 43 | 3 | 3,0 | - | 315,0 | 345 | 3200 | 3800 | NJ 318 E |
| 90 | 190 | 43 | 3 | 3,0 | - | 315,0 | 345 | 3200 | 3800 | NUP 318 E |
| 90 | 190 | 64 | 3 | 3,0 | 6 | 430,0 | 530 | 3000 | 3600 | NU 2318 E |
| 90 | 190 | 64 | 3 | 3,0 | - | 430,0 | 530 | 3000 | 3600 | NJ 2318 E |
| 90 | 190 | 64 | 3 | 3,0 | - | 430,0 | 530 | 3000 | 3600 | NUP 2318 E |
| 90 | 225 | 54 | 4 | 4,0 | 5 | 393,0 | 427 | 2800 | 3400 | N 418 M |
| 90 | 225 | 54 | 4 | 4,0 | 5 | 393,0 | 427 | 2800 | 3400 | NU 418 M |
| 90 | 225 | 54 | 4 | 4,0 | - | 393,0 | 427 | 2800 | 3400 | NJ 418 M |
| 90 | 225 | 54 | 4 | 4,0 | - | 393,0 | 427 | 2800 | 3400 | NUP 418 M |
| 95 | 145 | 24 | 2 | 1,1 | 4,1 | 96,5 | 129 | 4400 | 5200 | NU 1019 M |
| 95 | 170 | 32 | 2 | 2,1 | 1,4 | 220,0 | 265 | 3800 | 4500 | N 219 E |
| 95 | 170 | 32 | 2 | 2,1 | 1,4 | 220,0 | 265 | 3800 | 4500 | NU 219 E |
| 95 | 170 | 32 | 2 | 2,1 | - | 220,0 | 265 | 3800 | 4500 | NJ 219 E |
| 95 | 170 | 32 | 2 | 2,1 | - | 220,0 | 265 | 3800 | 4500 | NUP 219 E |
| 95 | 170 | 43 | 2 | 2,1 | 3,5 | 285,0 | 375 | 3200 | 3800 | NU 2219 E |
| 95 | 170 | 43 | 2 | 2,1 | - | 285,0 | 375 | 3200 | 3800 | NJ 2219 E |
| 95 | 170 | 43 | 2 | 2,1 | - | 285,0 | 375 | 3200 | 3800 | NUP 2219 E |
| 95 | 200 | 45 | 3 | 3,0 | 3,5 | 335,0 | 380 | 3000 | 3600 | N 319 E |
| 95 | 200 | 45 | 3 | 3,0 | 3,5 | 335,0 | 380 | 3000 | 3600 | NU 319 E |
| 95 | 200 | 45 | 3 | 3,0 | - | 335,0 | 380 | 3000 | 3600 | NJ 319 E |
| 95 | 200 | 45 | 3 | 3,0 | - | 335,0 | 380 | 3000 | 3600 | NUP 319 E |
| 95 | 200 | 67 | 3 | 3,0 | 7,2 | 455,0 | 585 | 2800 | 3400 | NU 2319 E |
| 95 | 200 | 67 | 3 | 3,0 | - | 455,0 | 585 | 2800 | 3400 | NJ 2319 E |
| 95 | 200 | 67 | 3 | 3,0 | - | 455,0 | 585 | 2800 | 3400 | NUP 2319 E |
| 95 | 240 | 55 | 4 | 4,0 | 5,2 | 415,0 | 465 | 2400 | 3000 | N 419 M |
| 95 | 240 | 55 | 4 | 4,0 | 5,2 | 415,0 | 465 | 2400 | 3000 | NU 419 M |
| 95 | 240 | 55 | 4 | 4,0 | - | 415,0 | 465 | 2400 | 3000 | NJ 419 M |
| 95 | 240 | 55 | 4 | 4,0 | - | 415,0 | 465 | 2400 | 3000 | NUP 419 M |
| 100 | 150 | 24 | 2 | 1,1 | 4,3 | 98,0 | 134 | 4300 | 5000 | NU 1020 M |
| 100 | 180 | 34 | 2 | 2,1 | 1,4 | 250,0 | 305 | 3200 | 3800 | N 220 E |
| 100 | 180 | 34 | 2 | 2,1 | 1,4 | 250,0 | 305 | 3200 | 3800 | NU 220 E |
| 100 | 180 | 34 | 2 | 2,1 | - | 250,0 | 305 | 3200 | 3800 | NJ 220 E |
| 100 | 180 | 34 | 2 | 2,1 | - | 250,0 | 305 | 3200 | 3800 | NUP 220 E |
| 100 | 180 | 46 | 2 | 2,1 | 3 | 335,0 | 440 | 3000 | 3800 | NU 2220 E |
| 100 | 180 | 46 | 2 | 2,1 | - | 335,0 | 440 | 3000 | 3600 | NJ 2220 E |

| | | | | | | | | | | |
|-----|-----|----|---|-----|-----|-------|-----|------|------|-------------------|
| 100 | 180 | 46 | 2 | 2,1 | - | 335,0 | 440 | 3000 | 3600 | NUP 2220 E |
| 100 | 215 | 47 | 3 | 3,0 | 3,5 | 380,0 | 425 | 3000 | 3600 | N 320 E |
| 100 | 215 | 47 | 3 | 3,0 | 3,5 | 380,0 | 425 | 3000 | 3600 | NU 320 E |
| 100 | 215 | 47 | 3 | 3,0 | - | 380,0 | 425 | 3000 | 3600 | NJ 320 E |
| 100 | 215 | 47 | 3 | 3,0 | - | 380,0 | 425 | 3000 | 3600 | NUP 320 E |
| 100 | 215 | 73 | 3 | 3,0 | 6,1 | 570,0 | 720 | 2600 | 3200 | NU 2320 E |
| 100 | 215 | 73 | 3 | 3,0 | - | 570,0 | 720 | 2600 | 3200 | NJ 2320 E |
| 100 | 215 | 73 | 3 | 3,0 | - | 570,0 | 720 | 2600 | 3200 | NUP 2320 E |
| 100 | 250 | 58 | 4 | 4,0 | 5,7 | 440,0 | 490 | 2400 | 3000 | N 420 M |
| 100 | 250 | 58 | 4 | 4,0 | 5,7 | 440,0 | 490 | 2400 | 3000 | NU 420 M |
| 100 | 250 | 58 | 4 | 4,0 | - | 440,0 | 490 | 2400 | 3000 | NJ 420 M |
| 100 | 250 | 58 | 4 | 4,0 | - | 440,0 | 490 | 2400 | 3000 | NUP 420 M |
| 105 | 160 | 26 | 2 | 1,1 | 4,5 | 112,0 | 153 | 3800 | 4500 | NU 1021 M |
| 105 | 190 | 36 | 2 | 2,1 | 1,4 | 260,0 | 320 | 3000 | 3600 | N 221 E |
| 105 | 190 | 36 | 2 | 2,1 | 1,4 | 260,0 | 320 | 3000 | 3600 | NU 221 E |
| 105 | 190 | 36 | 2 | 2,1 | - | 260,0 | 320 | 3000 | 3600 | NJ 221 E |
| 105 | 190 | 36 | 2 | 2,1 | - | 260,0 | 320 | 3000 | 3600 | NUP 221 E |
| 105 | 225 | 49 | 3 | 3,0 | 3,4 | 335,0 | 380 | 2600 | 3200 | N 321 E |
| 105 | 225 | 49 | 3 | 3,0 | 3,4 | 335,0 | 380 | 2600 | 3200 | NU 321 E |
| 105 | 225 | 49 | 3 | 3,0 | - | 335,0 | 380 | 2600 | 3200 | NJ 321 E |
| 105 | 225 | 49 | 3 | 3,0 | - | 335,0 | 380 | 2600 | 3200 | NUP 321 E |
| 105 | 260 | 60 | 4 | 4,0 | 5,7 | 490,0 | 540 | 2200 | 2800 | NU 421 M |
| 105 | 260 | 60 | 4 | 4,0 | - | 490,0 | 540 | 2200 | 2800 | NJ 421 M |
| 105 | 260 | 60 | 4 | 4,0 | - | 490,0 | 540 | 2200 | 2800 | NUP 421 M |
| 110 | 170 | 28 | 2 | 1,1 | 4,5 | 140,0 | 190 | 3600 | 4500 | NU 1022 M |
| 110 | 200 | 38 | 2 | 2,1 | 1,4 | 290,0 | 365 | 3000 | 3600 | N 222 E |
| 110 | 200 | 38 | 2 | 2,1 | 1,4 | 290,0 | 365 | 3000 | 3600 | NU 222 E |
| 110 | 200 | 38 | 2 | 2,1 | - | 290,0 | 365 | 3000 | 3600 | NJ 222 E |
| 110 | 200 | 38 | 2 | 2,1 | - | 290,0 | 365 | 3000 | 3600 | NUP 222 E |
| 110 | 200 | 53 | 2 | 2,1 | 4 | 380,0 | 520 | 2800 | 3400 | NU 2222 E |
| 110 | 200 | 53 | 2 | 2,1 | - | 380,0 | 520 | 2800 | 3400 | NJ 2222 E |
| 110 | 200 | 53 | 2 | 2,1 | - | 380,0 | 520 | 2800 | 3400 | NUP 2222 E |
| 110 | 240 | 50 | 3 | 3,0 | 4 | 443,0 | 513 | 2400 | 3000 | N 322 E |
| 110 | 240 | 50 | 3 | 3,0 | 4 | 443,0 | 513 | 2400 | 3000 | NU 322 E |
| 110 | 240 | 50 | 3 | 3,0 | - | 443,0 | 513 | 2400 | 3000 | NJ 322 E |
| 110 | 240 | 50 | 3 | 3,0 | - | 443,0 | 513 | 2400 | 3000 | NUP 322 E |
| 110 | 240 | 80 | 3 | 3,0 | 7,2 | 630,0 | 800 | 2200 | 2800 | NU 2322 E |
| 110 | 240 | 80 | 3 | 3,0 | - | 630,0 | 800 | 2200 | 2800 | NJ 2322 E |
| 110 | 240 | 80 | 3 | 3,0 | - | 630,0 | 800 | 2200 | 2800 | NUP 2322 E |
| 110 | 280 | 65 | 4 | 4,0 | 6,2 | 583,0 | 672 | 2200 | 2800 | NU 422 M |
| 110 | 280 | 65 | 4 | 4,0 | - | 583,0 | 672 | 2200 | 2800 | NJ 422 M |
| 110 | 280 | 65 | 4 | 4,0 | - | 583,0 | 672 | 2200 | 2800 | NUP 422 M |
| 120 | 180 | 28 | 2 | 1,0 | 3,2 | 150,0 | 208 | 3400 | 4000 | NU 1024 M |
| 120 | 215 | 40 | 2 | 2,1 | 3,5 | 335,0 | 415 | 2600 | 3200 | N 224 E |
| 120 | 215 | 40 | 2 | 2,1 | 3,5 | 335,0 | 415 | 2600 | 3200 | NU 224 E |
| 120 | 215 | 40 | 2 | 2,1 | - | 335,0 | 415 | 2600 | 3200 | NJ 224 E |

| | | | | | | | | | | |
|-----|-----|-----|---|-----|-----|--------|------|------|------|--------------------|
| 120 | 215 | 40 | 2 | 2,1 | - | 335,0 | 415 | 2600 | 3200 | NUP 224 E |
| 120 | 215 | 58 | 2 | 2,1 | 5 | 450,0 | 610 | 2600 | 3200 | NU 2224 E |
| 120 | 215 | 58 | 2 | 2,1 | - | 450,0 | 610 | 2600 | 3200 | NJ 2224 E |
| 120 | 215 | 58 | 2 | 2,1 | - | 450,0 | 610 | 2600 | 3200 | NUP 2224 E |
| 120 | 260 | 55 | 3 | 3,0 | 4,5 | 520,0 | 600 | 2200 | 2800 | N 324 E |
| 120 | 260 | 55 | 3 | 3,0 | 4,5 | 520,0 | 600 | 2200 | 2800 | NU 324 E |
| 120 | 260 | 55 | 3 | 3,0 | - | 520,0 | 600 | 2200 | 2800 | NJ 324 E |
| 120 | 260 | 55 | 3 | 3,0 | - | 520,0 | 600 | 2200 | 2800 | NUP 324 E |
| 120 | 260 | 86 | 3 | 3,0 | 7,2 | 780,0 | 1020 | 2000 | 2600 | NU 2324 EM |
| 120 | 260 | 86 | 3 | 3,0 | - | 780,0 | 1020 | 2000 | 2600 | NJ 2324 EM |
| 120 | 260 | 86 | 3 | 3,0 | - | 780,0 | 1020 | 2000 | 2600 | NUP2324EM |
| 120 | 310 | 72 | 5 | 5,0 | 6,9 | 670,0 | 780 | 1800 | 2200 | NU 424 M |
| 120 | 310 | 72 | 5 | 5,0 | - | 670,0 | 780 | 1800 | 2200 | NJ 424 M |
| 130 | 200 | 33 | 2 | 1,0 | 5,5 | 180,0 | 250 | 3000 | 3600 | NU 1026 M |
| 130 | 230 | 40 | 3 | 3,0 | 3,6 | 360,0 | 450 | 2400 | 3000 | N 226 E |
| 130 | 230 | 40 | 3 | 3,0 | 3,6 | 360,0 | 450 | 2400 | 3000 | NU 226 E |
| 130 | 230 | 40 | 3 | 3,0 | - | 360,0 | 450 | 2400 | 3000 | NJ 226 E |
| 130 | 230 | 40 | 3 | 3,0 | - | 360,0 | 450 | 2400 | 3000 | NUP 226 E |
| 130 | 230 | 64 | 3 | 3,0 | 6 | 530,0 | 735 | 2400 | 3000 | NU 2226 E |
| 130 | 230 | 64 | 3 | 3,0 | - | 530,0 | 735 | 2400 | 3000 | NJ 2226 E |
| 130 | 230 | 64 | 3 | 3,0 | - | 530,0 | 735 | 2400 | 3000 | NUP 2226 E |
| 130 | 280 | 58 | 4 | 4,0 | 4,5 | 570,0 | 670 | 2000 | 2600 | N 326 E |
| 130 | 280 | 58 | 4 | 4,0 | 4,5 | 570,0 | 670 | 2000 | 2600 | NU 326 E |
| 130 | 280 | 58 | 4 | 4,0 | - | 570,0 | 670 | 2000 | 2600 | NJ 326 E |
| 130 | 280 | 58 | 4 | 4,0 | - | 570,0 | 670 | 2000 | 2600 | NUP 326 E |
| 130 | 280 | 93 | 4 | 4,0 | 8,1 | 915,0 | 1220 | 1900 | 2400 | NU 2326 EM |
| 130 | 280 | 93 | 4 | 4,0 | - | 915,0 | 1220 | 1900 | 2400 | NJ 2326 EM |
| 130 | 280 | 93 | 4 | 4,0 | - | 915,0 | 1220 | 1900 | 2400 | NUP2326EM |
| 130 | 340 | 78 | 6 | 5 | 6,5 | 790 | 960 | 1800 | 2200 | NU 426 M |
| 130 | 340 | 78 | 6 | 5,0 | - | 790,0 | 960 | 1800 | 2200 | NJ 426M |
| 140 | 210 | 33 | 2 | 1,1 | 3,8 | 183,0 | 265 | 2800 | 3400 | NU 1028 M |
| 140 | 250 | 42 | 3 | 3,0 | 3,7 | 390,0 | 510 | 2400 | 3000 | N 228 EM |
| 140 | 250 | 42 | 3 | 3,0 | 3,7 | 390,0 | 510 | 2400 | 3000 | NU 228 EM |
| 140 | 250 | 42 | 3 | 3,0 | - | 390,0 | 510 | 2400 | 3000 | NJ 228 EM |
| 140 | 250 | 42 | 3 | 3,0 | - | 390,0 | 510 | 2400 | 3000 | NUP 228 EM |
| 140 | 250 | 68 | 3 | 3,0 | 7 | 570,0 | 830 | 2200 | 2800 | NU 2228 EM |
| 140 | 250 | 68 | 3 | 3,0 | - | 570,0 | 830 | 2200 | 2800 | NJ 2228 EM |
| 140 | 250 | 68 | 3 | 3,0 | - | 570,0 | 830 | 2200 | 2800 | NUP 2228 EM |
| 140 | 300 | 62 | 4 | 4,0 | 5,2 | 670,0 | 800 | 1900 | 2400 | N 328 E |
| 140 | 300 | 62 | 4 | 4,0 | 5,2 | 670,0 | 800 | 1900 | 2400 | NU 328 E |
| 140 | 300 | 62 | 4 | 4,0 | - | 670,0 | 800 | 1900 | 2400 | NJ 328 E |
| 140 | 300 | 62 | 4 | 4,0 | - | 670,0 | 800 | 1900 | 2400 | NUP 328 E |
| 140 | 300 | 102 | 4 | 4,0 | 9,2 | 1130,0 | 1589 | 1800 | 2200 | NU 2328 EM |
| 140 | 300 | 102 | 4 | 4,0 | - | 1130,0 | 1589 | 1800 | 2200 | NJ 2328 EM |
| 140 | 300 | 102 | 4 | 4,0 | - | 1130,0 | 1589 | 1800 | 2200 | NUP 2328 EM |
| 140 | 360 | 82 | 6 | 5,0 | 7 | 850,0 | 1020 | 1600 | 1900 | NU 428 M |

| | | | | | | | | | | |
|-----|-----|-----|---|-----|-----|--------|------|------|------|--------------------|
| 140 | 360 | 82 | 6 | 5,0 | - | 850,0 | 1020 | 1600 | 1900 | NJ 428 M |
| 150 | 225 | 35 | 2 | 1,5 | 4,2 | 208,0 | 310 | 2600 | 3200 | NU 1030 M |
| 150 | 270 | 45 | 3 | 3,0 | 4 | 440,0 | 585 | 2200 | 2800 | N 230 EM |
| 150 | 270 | 45 | 3 | 3,0 | 4 | 440,0 | 585 | 2200 | 2800 | NU 230 EM |
| 150 | 270 | 45 | 3 | 3,0 | - | 440,0 | 585 | 2200 | 2800 | NJ 230 EM |
| 150 | 270 | 45 | 3 | 3,0 | - | 440,0 | 585 | 2200 | 2800 | NUP 230 EM |
| 150 | 270 | 73 | 3 | 3,0 | 7,3 | 655,0 | 980 | 2000 | 2600 | NU 2230 EM |
| 150 | 270 | 73 | 3 | 3,0 | - | 655,0 | 980 | 2000 | 2600 | NJ 2230 EM |
| 150 | 270 | 73 | 3 | 3,0 | - | 655,0 | 980 | 2000 | 2600 | NUP 2230 EM |
| 150 | 320 | 65 | 4 | 4,0 | 5,5 | 800,0 | 1000 | 1800 | 2200 | N 330 EM |
| 150 | 320 | 65 | 4 | 4,0 | 5,5 | 800,0 | 1000 | 1800 | 2200 | NU 330 EM |
| 150 | 320 | 65 | 4 | 4,0 | - | 800,0 | 1000 | 1800 | 2200 | NJ 330 EM |
| 150 | 320 | 65 | 4 | 4,0 | - | 800,0 | 1000 | 1800 | 2200 | NUP 330 EM |
| 150 | 320 | 108 | 4 | 4,0 | 9,8 | 1160,0 | 1600 | 1700 | 2000 | NU 2330 EM |
| 150 | 320 | 108 | 4 | 4,0 | - | 1160,0 | 1600 | 1700 | 2000 | NJ 2330 EM |
| 150 | 320 | 108 | 4 | 4,0 | - | 1160,0 | 1600 | 1700 | 2000 | NUP 2330 EM |
| 150 | 380 | 85 | 6 | 5,0 | 7,5 | 898,0 | 1145 | 1500 | 1800 | NU 430 M |
| 150 | 380 | 85 | 6 | 5,0 | - | 898,0 | 1145 | 1500 | 1800 | NJ 430 M |
| 160 | 240 | 38 | 2 | 1,5 | 4,3 | 245,0 | 355 | 2400 | 3000 | NU 1032 M |
| 160 | 290 | 48 | 3 | 3,0 | 4,1 | 500,0 | 670 | 2000 | 2600 | N 232 EM |
| 160 | 290 | 48 | 3 | 3,0 | 4,1 | 500,0 | 670 | 2000 | 2600 | NU 232 EM |
| 160 | 290 | 48 | 3 | 3,0 | - | 500,0 | 670 | 2000 | 2600 | NJ 232 EM |
| 160 | 290 | 48 | 3 | 3,0 | - | 500,0 | 670 | 2000 | 2600 | NUP 232 EM |
| 160 | 290 | 80 | 3 | 3,0 | 7,3 | 800,0 | 1180 | 1900 | 2400 | NU 2232 EM |
| 160 | 290 | 80 | 3 | 3,0 | - | 800,0 | 1180 | 1900 | 2400 | NJ 2232 EM |
| 160 | 290 | 80 | 3 | 3,0 | - | 800,0 | 1180 | 1900 | 2400 | NUP 2232 EM |
| 160 | 340 | 68 | 4 | 4,0 | 5,5 | 865,0 | 1060 | 1600 | 1900 | N 332 EM |
| 160 | 340 | 68 | 4 | 4,0 | 5,5 | 865,0 | 1060 | 1600 | 1900 | NU 332 EM |
| 160 | 340 | 68 | 4 | 4,0 | - | 918,0 | 1148 | 1600 | 1900 | NJ 332 EM |
| 160 | 340 | 68 | 4 | 4,0 | - | 865,0 | 1060 | 1600 | 1900 | NUP 332 EM |
| 160 | 340 | 114 | 4 | 4,0 | 10 | 1320,0 | 1830 | 1600 | 1900 | NU 2332 EM |
| 160 | 340 | 114 | 4 | 4,0 | - | 1320,0 | 1830 | 1600 | 1900 | NJ 2332 EM |
| 160 | 340 | 114 | 4 | 4,0 | - | 1320,0 | 1830 | 1600 | 1900 | NUP 2332 EM |
| 170 | 260 | 42 | 2 | 2,1 | 6,9 | 300,0 | 430 | 2200 | 2800 | NU 1034 M |
| 170 | 310 | 52 | 4 | 4,0 | 4,3 | 585,0 | 618 | 828 | 2200 | N 234 EM |
| 170 | 310 | 52 | 4 | 4,0 | 4,3 | 585,0 | 618 | 828 | 2200 | NU 234 EM |
| 170 | 310 | 52 | 4 | 4,0 | - | 585,0 | 618 | 828 | 2200 | NJ 234 EM |
| 170 | 310 | 52 | 4 | 4,0 | - | 585,0 | 618 | 828 | 2200 | NUP 234 EM |
| 170 | 310 | 86 | 4 | 4,0 | 7,2 | 950,0 | 1400 | 1700 | 2000 | NU 2234 EM |
| 170 | 310 | 86 | 4 | 4,0 | - | 950,0 | 1400 | 1700 | 2000 | NJ 2234 EM |
| 170 | 310 | 86 | 4 | 4,0 | - | 950,0 | 1400 | 1700 | 2000 | NUP 2234 EM |
| 170 | 360 | 72 | 4 | 4,0 | 7 | 800,0 | 1020 | 1600 | 1900 | N 334 EM |
| 170 | 360 | 72 | 4 | 4,0 | 7 | 928,0 | 1150 | 1600 | 1900 | NU 334 EM |
| 170 | 360 | 72 | 4 | 4,0 | - | 928,0 | 1150 | 1600 | 1900 | NJ 334 EM |
| 170 | 360 | 72 | 4 | 4,0 | - | 928,0 | 1150 | 1600 | 1900 | NUP 334 EM |
| 170 | 360 | 120 | 4 | 4,0 | 13 | 1220,0 | 1760 | 1500 | 1800 | NU 2334 M |

| | | | | | | | | | | |
|-----|-----|-----|---|-----|------|--------|------|------|------|---------------------|
| 170 | 360 | 120 | 4 | 4,0 | - | 1220,0 | 1760 | 1500 | 1800 | NJ 2334 M |
| 170 | 360 | 120 | 4 | 4,0 | - | 1220,0 | 1760 | 1500 | 1800 | NUP 2334 M |
| 180 | 280 | 46 | 2 | 2,1 | 7 | 360,0 | 520 | 2200 | 2800 | NU 1036 M |
| 180 | 320 | 52 | 4 | 4,0 | 4,5 | 610,0 | 830 | 1800 | 2200 | N 236 EM |
| 180 | 320 | 52 | 4 | 4,0 | 4,5 | 610,0 | 830 | 1800 | 2200 | NU 236 EM |
| 180 | 320 | 52 | 4 | 4,0 | - | 610,0 | 830 | 1800 | 2200 | NJ 236 E.M |
| 180 | 320 | 52 | 4 | 4,0 | - | 610,0 | 830 | 1800 | 2200 | NUP 236 E.M |
| 180 | 320 | 86 | 4 | 4,0 | 7,2 | 1000,0 | 1500 | 1700 | 2000 | NU 2236 E.M |
| 180 | 320 | 86 | 4 | 4,0 | - | 1000,0 | 1500 | 1700 | 2000 | NJ 2236 E.M |
| 180 | 320 | 86 | 4 | 4,0 | - | 1000,0 | 1500 | 1700 | 2000 | NUP 2236 E.M |
| 180 | 380 | 75 | 4 | 4,0 | 6,9 | 900,0 | 1160 | 1500 | 1800 | N 336 M |
| 180 | 380 | 75 | 4 | 4,0 | 6,9 | 900,0 | 1160 | 1500 | 1800 | NU 336 M |
| 180 | 380 | 75 | 4 | 4,0 | - | 900,0 | 1160 | 1500 | 1800 | NJ 336 M |
| 180 | 380 | 75 | 4 | 4,0 | - | 900,0 | 1160 | 1500 | 1800 | NUP 336 M |
| 180 | 380 | 126 | 4 | 4,0 | 13 | 1370,0 | 2000 | 1400 | 1700 | NU 2336 M |
| 180 | 380 | 126 | 4 | 4,0 | - | 1370,0 | 2000 | 1400 | 1700 | NJ 2336 M |
| 180 | 380 | 126 | 4 | 4,0 | - | 1370,0 | 2000 | 1400 | 1700 | NUP 2336 M |
| 190 | 290 | 46 | 2 | 2,1 | 5 | 365,0 | 550 | 2000 | 2600 | NU 1038 M |
| 190 | 340 | 55 | 4 | 4,0 | 4,7 | 680,0 | 930 | 1700 | 2000 | N 238 E.M |
| 190 | 340 | 55 | 4 | 4,0 | 4,7 | 680,0 | 930 | 1700 | 2000 | NU 238 E.M |
| 190 | 340 | 55 | 4 | 4,0 | - | 680,0 | 930 | 1700 | 2000 | NJ 238 E.M |
| 190 | 340 | 55 | 4 | 4,0 | - | 680,0 | 930 | 1700 | 2000 | NUP 238 E.M |
| 190 | 340 | 92 | 4 | 4,0 | 8 | 1100,0 | 1660 | 1600 | 1900 | NU 2238 E.M |
| 190 | 340 | 92 | 4 | 4,0 | - | 1100,0 | 1660 | 1600 | 1900 | NJ 2238 E.M |
| 190 | 400 | 78 | 5 | 5,0 | 7,1 | 965,0 | 1250 | 1400 | 1700 | NU 338 M |
| 190 | 400 | 78 | 5 | 5,0 | - | 965,0 | 1250 | 1400 | 1700 | NJ 338 M |
| 190 | 400 | 132 | 5 | 5,0 | 13,5 | 1500,0 | 2200 | 1400 | 1700 | NU 2338 E |
| 190 | 400 | 132 | 5 | 5,0 | - | 1500,0 | 2200 | 1400 | 1700 | NJ 2338 E |
| 190 | 400 | 132 | 5 | 5,0 | - | 1500,0 | 2200 | 1400 | 1700 | NUP 2338 M |
| 200 | 310 | 51 | 2 | 2,1 | 8,3 | 400,0 | 600 | 2000 | 2600 | NU 1040 M |
| 200 | 360 | 58 | 4 | 4,0 | 5 | 750,0 | 1040 | 1600 | 1900 | N 240 EM |
| 200 | 360 | 58 | 4 | 4,0 | 5 | 750,0 | 1040 | 1600 | 1900 | NU 240 EM |
| 200 | 360 | 58 | 4 | 4,0 | - | 750,0 | 1040 | 1600 | 1900 | NJ 240 EM |
| 200 | 360 | 58 | 4 | 4,0 | - | 750,0 | 1040 | 1600 | 1900 | NUP 240 EM |
| 200 | 360 | 98 | 4 | 4,0 | 8,1 | 1220,0 | 1860 | 1500 | 1800 | NU 2240 EM |
| 200 | 360 | 98 | 4 | 4,0 | - | 1220,0 | 1860 | 1500 | 1800 | NJ 2240 EM |
| 200 | 420 | 80 | 5 | 5,0 | 7,5 | 965,0 | 1250 | 1400 | 1700 | NU 340 M |
| 200 | 420 | 80 | 5 | 5,0 | - | 965,0 | 1250 | 1400 | 1700 | NJ 340 M |
| 200 | 420 | 138 | 5 | 5,0 | 15 | 1740,0 | 2685 | 1300 | 1600 | NU 2340 M |
| 200 | 420 | 138 | 5 | 5,0 | - | 1740,0 | 2685 | 1300 | 1600 | NJ 2340 M |
| 220 | 340 | 56 | 3 | 3,0 | 6,2 | 650,0 | 1047 | 1700 | 2000 | NU 1044 M |
| 220 | 400 | 65 | 4 | 4,0 | 6 | 778,0 | 1113 | 1500 | 1800 | NU 244 M |
| 220 | 400 | 65 | 4 | 4,0 | - | 778,0 | 1113 | 1500 | 1800 | NJ 244 M |
| 220 | 400 | 65 | 4 | 4,0 | - | 778,0 | 1113 | 1500 | 1800 | NUP 244 M |
| 220 | 400 | 108 | 4 | 4,0 | 11,8 | 1370,0 | 2310 | 1400 | 1700 | NU 2244 M |
| 220 | 400 | 108 | 4 | 4,0 | - | 1160,0 | 1870 | 1400 | 1700 | NJ 2244 M |

| | | | | | | | | | | |
|------------|------|-----|---|-----|------|--------|------|------|------|--------------------|
| 220 | 460 | 88 | 5 | 5,0 | 8 | 1230,0 | 1650 | 1300 | 1600 | NU 344 M |
| 220 | 460 | 145 | 5 | 5,0 | 10 | 1760,0 | 2600 | 1200 | 1500 | NU 2344 E |
| 240 | 360 | 56 | 3 | 3,0 | 8,5 | 540,0 | 850 | 1600 | 1900 | NU 1048 M |
| 240 | 440 | 72 | 4 | 4,0 | 7 | 930,0 | 1340 | 1400 | 1700 | NU 248 M |
| 240 | 440 | 72 | 4 | 4,0 | - | 930,0 | 1340 | 1400 | 1700 | NJ 248 M |
| 240 | 440 | 120 | 4 | 4,0 | 12,8 | 1430,0 | 2320 | 1300 | 1600 | NU 2248 M |
| 240 | 500 | 95 | 5 | 5,0 | 89 | 1400,0 | 1930 | 1200 | 1500 | NU 348 M |
| 240 | 500 | 155 | 5 | 5,0 | 17 | 2080,0 | 3150 | 1100 | 1400 | NU 2348 M |
| 260 | 400 | 65 | 4 | 4,0 | 10,5 | 660,0 | 1039 | 1500 | 1800 | NU 1052 M |
| 260 | 480 | 80 | 5 | 5,0 | 5 | 1140,0 | 1630 | 1200 | 1500 | NU 252 M |
| 260 | 480 | 80 | 5 | 5,0 | - | 1140,0 | 1630 | 1200 | 1500 | NJ 252 M |
| 260 | 480 | 130 | 5 | 5,0 | 12,8 | 1760,0 | 2900 | 1100 | 1400 | NU 2252 M |
| 260 | 540 | 102 | 6 | 6,0 | 9,4 | 1600,0 | 2200 | 1100 | 1400 | NU 352 M |
| 260 | 540 | 165 | 6 | 6,0 | 18 | 2320,0 | 3550 | 1000 | 1300 | NU 2352 M |
| 280 | 420 | 65 | 4 | 4,0 | 10,5 | 680,0 | 1100 | 1400 | 1700 | NU 1056 M |
| 280 | 500 | 80 | 5 | 5,0 | 7,5 | 1120,0 | 1660 | 1200 | 1500 | NU 256 M |
| 280 | 500 | 80 | 5 | 5,0 | - | 1120,0 | 1660 | 1200 | 1500 | NJ 256 M |
| 280 | 500 | 130 | 5 | 5,0 | 12,8 | 1760,0 | 2900 | 1100 | 1400 | NU 2256 M |
| 280 | 580 | 108 | 6 | 6,0 | 22 | 1800,0 | 2500 | 1000 | 1300 | NU 356 M |
| 300 | 460 | 74 | 4 | 4,0 | 12 | 900,0 | 1430 | 1300 | 1600 | NU 1060 M |
| 300 | 540 | 85 | 5 | 5,0 | 7,2 | 1400,0 | 2040 | 1100 | 1400 | NU 260 M |
| 300 | 540 | 85 | 5 | 5,0 | - | 1400,0 | 2040 | 1100 | 1400 | NJ 260 M |
| 300 | 540 | 140 | 5 | 5,0 | 14 | 2080,0 | 3400 | 1000 | 1300 | NU 2260 M |
| 300 | 620 | 109 | 8 | 7,5 | 9,5 | 2080,0 | 3000 | 900 | 1100 | NU 360 M |
| 320 | 480 | 74 | 4 | 4,0 | 11,5 | 915,0 | 1500 | 1200 | 1500 | NU 1064 M |
| 320 | 580 | 92 | 5 | 5,0 | 8,3 | 1600,0 | 2360 | 1000 | 1300 | NU 264 M |
| 320 | 580 | 92 | 5 | 5,0 | - | 1600,0 | 2360 | 1000 | 1300 | NJ 264 M |
| 340 | 520 | 82 | 5 | 5,0 | 12,5 | 1120,0 | 1830 | 1200 | 1400 | NU 1068 M |
| 360 | 540 | 82 | 5 | 5,0 | 12,5 | 1145,0 | 1900 | 1200 | 1400 | NU 1072 M |
| 380 | 560 | 82 | 5 | 5,0 | 12,5 | 1180,0 | 2000 | 1000 | 1300 | NU 1076 M |
| 400 | 600 | 90 | 5 | 5,0 | 13,5 | 1370,0 | 2320 | 950 | 1200 | NU 1080 M |
| 420 | 620 | 90 | 5 | 5,0 | 15 | 1400,0 | 2450 | 900 | 1100 | NU 1084 M |
| 440 | 650 | 94 | 6 | 6,0 | 9,8 | 1560,0 | 2750 | 850 | 1000 | NU 1088 M |
| 460 | 680 | 100 | 6 | 6,0 | 10,5 | 1660,0 | 3000 | 850 | 1000 | NU 1092 M |
| 480 | 650 | 78 | 5 | 5,0 | 6,8 | 1140,0 | 2240 | 900 | 1100 | NU 1996 M |
| 480 | 700 | 100 | 5 | 5,0 | 15,9 | 1140,0 | 2240 | 900 | 1100 | NU 1096 M |
| 500 | 670 | 78 | 5 | 5,0 | 6,8 | 1140,0 | 2240 | 850 | 1000 | NU 19/500 M |
| 500 | 720 | 100 | 6 | 6,0 | 10,5 | 1760,0 | 3200 | 800 | 950 | NU 10/500 M |
| 560 | 750 | 85 | 5 | 5,0 | 7,5 | 1430,0 | 2900 | 750 | 900 | NU 19/560 M |
| 560 | 820 | 115 | 6 | 6,0 | 12,3 | 2700,0 | 5100 | 630 | 750 | NU 10/560 M |
| 600 | 870 | 118 | 6 | 6,0 | 13,9 | 2750,0 | 5050 | 580 | 480 | NU 10/600 M |
| 630 | 850 | 100 | 6 | 6,0 | 8,5 | 1830,0 | 3750 | 670 | 800 | NU 19/630 M |
| 710 | 950 | 106 | 6 | 6,0 | 9,3 | 2080,0 | 4400 | 600 | 700 | NU 19/710 M |
| 710 | 1030 | 140 | 8 | 7,5 | 17 | 4650,0 | 8300 | 400 | 450 | NU 10/710 M |
| 800 | 1060 | 115 | 6 | 6,0 | 10 | 2450,0 | 5400 | 530 | 630 | NU 19/800 M |